SMART GUN CARE

RIPCORD SYSTEMS

#17 Ripcord (.17 cal/4.5mm)	FG-RC-317
. , , ,	
#25 Ripcord (.22 cal/5.56mm)	FG-RC-325
11004 D: 1 / 004 /0 F)	EO DO 004
#264 Ripcord (.264/6.5mm)	FG-RC-264
#270 Ripcord (.270 cal/6.8mm)	FG-RC-327
#210 Kipcuru (.210 Cai/O.OHIIII)	1 U-NU-321
#30 Ripcord (.30cal/7.62mm)	FG-RC-330
που πιρουία (.ουσαί/ 1.οΖιτίττ)	า น-เงบ-ฮฮฮ
#45 Ripcord (.45cal)	FG-RC-345
איז אוויסטוע (יאספעו)	1 u-110-040
12 Gauge Shotgun Ripcord	FG-RC-512
12 dauge onotgan rapoord	1 U NO 012
Otis Universal Bore Guide	FG-BG-U
ous oniversal bore dulac	T U DU U









- ► The Ripcord® cleans from Breech-to-Muzzle® in one quick and easy pass
- ► 10" of aggressive cleaning surface (Shotgun Ripcords have 3 leading edges for aggressive cleaning)
- ► Heat resistance up to 370°C
- ► Helix shape engages rifling through the barrel
- ► Nomex® fibres act as both a brush to loosen and a patch to capture fouling particles
- ► Made in the USA.

BRUSHES

2 PACK 2" BORE BRUSH - 1 X BRONZE & 1 X NYLON







.22 Cal / 5.56mm	FG-322-NB
.243 Cal / 6mm	FG-325-NB
.270 Cal / 6.8mm	FG-327-NB
.30 Cal / 7.62mm	FG-330-NB
.35 Cal	FG-335-NB
.38 Cal / 9mm	FG-338-NB
.40 Cal	FG-341-NB
.45 Cal	FG-345-NB
.50 Cal	FG-350-NB
12 Gauge	FG-512-NB
.410 Cal / 36 Gauge	FG-541-NB

CHAMBER BRUSHES







5.56mm Chamber Brush	FG-367HT
7.62mm Chamber Brush	FG-368 HT
3 Pack AP Brushes (Nylon/Bronze/Stainless Steel)	FG-316-3
50 Pack Nylon AP Brushes	IP-316-50

SHOTGUN BRUSH ADAPTOR

The Shotgun Brush Adaptor is used to adapt shotgun brush threads from 5/16"-27 to standard 8-32.

Made in the USA.





Shotgun Brush Adaptor

IP110006P

STIS SMART GUN CARE

CLEANING KITS

PATRIOT CLEANING KITS

- ► Essential firearm maintenance gear
- ► Properly clean from Breech-to-Muzzle®
- Designed to clean one calibre or gauge and features a new tool that acts as both a T-handle and a driver for the included 4 bits
- ► 100% cotton patches and mop
- ► Double ended All Purpose receiver brush
- ► Bronze hore brush
- ➤ 30" aircraft grade Memory-Flex® cable and large slotted tip for proper Breech-to-Muzzle® cleaning
- ► Made in the USA.

12 Gauge Shotgun Kit	FG-701-12
.22 Cal Rifle Kit	FG-701-22
.30 Cal Rifle Kit	FG-701-30
.40 Cal Pistol Kit	FG-701-40
9mm Pistol Kit	FG-701-9MM





FG-701-40

DEFENDER CLEANING KITS

- Originally developed for the soldier now available for hunters and shooters
- ► Properly clean from Breech-to-Muzzle®
- ► Ripcord[®] for quick, one-pass cleaning
- ► 100% cotton patches and mop
- ► Double ended All Purpose receiver brush
- ► Bronze bore brush
- ► Chamber brush
- ► 30" aircraft grade Memory-Flex® cable
- ► Blue Nylon All Purpose Brush
- ► Includes 0.5 fl.oz. BIO CLP and instruction manual
- ► Made in the USA.

.40cal	FG-901-40
.50cal	FG-901-550
5.56mm/9mm	FG-901-556-9
5.56mm/7.62mm	FG-901-5576
7.62mm/9mm	FG-901-762-9



FG-901-40



THE OTIS ELITE CLEANING KIT

- This universal gun cleaning kit provides proper Breech-to-Muzzle® cleaning for all rifles, pistols, shotguns and inline muzzleloaders
- ► Over 60 components
- ▶ 100% cotton 2" & 3" patches, 3 slotted tips & 2 patch savers®
- ▶ 23 bronze bore brushes
- ▶ 8",12" and 30" aircraft grade Memory-Flex® cables
- ▶ 34"aircraft grade Memory-Flex® cable (5-40 thread) with slotted tip
- ► Small & large obstruction removers
- Specialised precision tools for complete breakdown and fine cleaning
- ► 5 x optics care items
- ► 0.5 fl.oz. Bio-CLP
- ► Removable Tactical Cleaning System (Item # FG-750)
- ➤ 38.5cm x 22cm x 1.5cm nylon bag w/ carry handle
- ► Made in the USA.

THE OTIS ELITE CLEANING KIT FG-1000







CHEMICALS / LUBRICANTS / AEROSOLS

DRY LUBE





BU

DRY LUBE (20z AEROSOL)	RW-902-A-55
DRY LUBE (4oz AEROSOL)	IP-904-A-55

- ► Designed for desert use, quickly and effectively lubricate your firearm in the most unforgiving environments
- ▶ One drop penetrates to immediately cover over an inch of surface area
- ▶ Dries to the touch in less than 20 seconds
- ► Seals out moisture with a thin film of lubricant
- ► Penetrates into tight fitting areas for easy disassembly of parts.

SURFACE PREP & GREASE SYSTEM





OTIS AEROSOL - DUAL PACK

IP-910T-A-SPL

Surface Prep & Lubricant

- ► Firearm Surface Prep safely clears contaminants without disassembly, making cleaning the hard-to-reach places a breeze
- ► Firearm Lubricant protects your firearm from friction and migrates into tight spaces
- Otis Grease is a high performance, bio-based formula with anti-wear and corrosion protection additives
- ► Made in the USA.

CLP 085



085 CLP WIPES (2 PACK)	IP-2TW-085
085 CLP (4oz AEROSOL)	IP-904-A-085
085 CLP (4oz)	IP-904-085
085 CLP WIPES CANISTER (40 WIPES)	IP-40C-085

- Designed for desert use, quickly and effectively lubricate your firearm in the most unforgiving environments
- ▶ One drop penetrates to immediately cover over an inch of surface area
- ► Dries to the touch in less than 20 seconds
- Seals out moisture with a thin film of lubricant
- ▶ Penetrates into tight fitting areas for easy disassembly of parts.

METAL DEFENSE BORE STICK



PISTOL	FG-VC-PST
2PK RIFLE	FG-VC-RFL2

► Protect your guns from rust and corrosion with the quick and easy Metal Defense Bore Stick™.

MAXIMUM STRENGTH COPPER REMOVER



Shooter's Choice Copper Remover (8 oz plastic bottle) is a special extra strength formula for tough pistol and rifle cleaning jobs. Our Copper Remover quickly removes copper or gilded metal fouling from all rifle and pistol bores.

OTIS MAXIMUM STRENGTH COPPER REMOVER (80z)

SHF-CRS08



CLEANING

CLEANING PATCHES

2" SMALL CALIBRE PATCHES .17 UP TO .22 COTTON	FG-918-100
2" SMALL CALIBRE CLEANING PATCHES (1,000)	FG-918-1M
3" CLEANING PATCHES 100 PACK .25 UP TO 12G COTTON	FG-919-100
OTIS REALITY BASED COTTON PATCHES (100)	IP-918-100
OTIS REALITY BASED COTTON 3" PATCH (100)	IP-919-100



9MM SNAP CAP 5 PACK

Great for inexpensive practice with your firearm, safety training, doing function checks or checking/adjusting trigger pull, the Otis Snap Caps stand up to the job.

9MM SNAP CAP 5 PACK FG-SC-9MM



CLEANING BRUSH LIPSTICK

The Mohair Lens Brush is intended for mainly removing dust from lenses and other optics.

LENS CLEANING BRUSH LIPSTICK RW-3762-1



HEARING PROTECTION

EARSHIELD SCOUT EARCUFFS

- ► Eliminates stock interference
- ► Cool and comfortable
- ► Adjustable to fit any user
- ► No batteries required
- ► Lightweight & collapsible
- ► Made in the USA.

SCOUT 31 dB EARCUFFS FG-ESH-31



OTIS SHOOTER PPE - FLUGZ

- ► Form and fit FLUGZ to your ear canals, they fit better than anything you've tried before
- ► FLUGZ come sealed in their own clear container which functions as a steamer during the fitting process
- ► Ready to be moulded to your ear canal.







FLUGZ 21 DB HEARING PROTECTION

FG-FL-1C

STIS SMART GUN CARE

CLEANING

UNIVERSAL RIFLE CLEANING KIT

- ► This universal gun rifle cleaning kit provides proper Breech-to-Muzzle® cleaning for all rifles
- ▶ 100% cotton 2" & 3" patches (10 each) & 2 slotted tips
- ► Five firearm specific bronze bore brushes with size marked on brush stem .22/.223 cal, .243 cal/6mm, .260/.270 cal/6.5mm, .30 cal variants and .338/.35/.357 cal.)
- ► 30" aircraft grade Memory-Flex® cable
- ► Small & large obstruction removers knock out mud, snow & stuck casings
- ► T-handle quickly attaches to cable for added comfort
- Also includes chamber flag, 0.5 fl.oz. Shooter's Choice FP-10 Lubricant Elite® CLP & instruction manual
- ► All items packed neatly in a 4"x4"x2.5" soft pack case
- ► Made in the USA.

UNIVERSAL RIFLE CLEANING KIT

FG-210



.223 CAL/5.56MM MSR/AR CLEANING KIT

- ► Compact, lightweight and portable, the MSR/AR Cleaning Kit is the answer to the proper care & maintenance of AR-style rifles and provides proper Breech-to-Muzzle® cleaning
- ▶ 100% cotton 2" patches (10) and small slotted tip
- ▶ .223 cal/5.56mm bronze bore brush and bore mop with size marked on brush stem
- ▶ 30" aircraft grade Memory-Flex® cable
- ► Small obstruction remover knocks out mud, snow & stuck casings
- ► T-handle quickly attaches to cable for added comfort
- ▶ B.O.N.E.® Tool quickly and effectively scrapes carbon from bolt, bolt carrier and firing pin
- ► .223 cal/5.56mm chamber brush, pin punch, end brush, scraper, straight & bent pick, locking lug scraper, short AP brush and rod handles for more precise cleaning
- ► Also includes chamber flag, 0.5 fl.oz. Shooter's Choice FP-10 Lubricant Elite® CLP, microFibre gun cloth & instruction manual
- ► All items packed neatly in a 4"x4"x2.5" soft pack case
- ► Made in the USA.

MSR/AR CLEANING KIT FG-556-MSR



STIS SMART GUN CARE

CLEANING

TACTICAL CLEANING KIT

- ▶ 100% cotton 2" & 3" patches (10 each), 3 slotted tips & 2 patch savers®
- Six firearm specific bronze bore brushes with size marked on brush stem (.22/.223, .270, .30/.308/30-06/30-30, .38/9mm, .45 cal, 12 ga)
- ► 8" and 30" aircraft grade Memory-Flex® cables and thread connector for proper Breech-to-Muzzle® cleaning
- ➤ 34" aircraft grade Memory-Flex® cable (5-40 thread) with slotted tip is small enough to clean .17 calibre firearms
- ► Small & large obstruction removers knock out mud, snow & stuck casings
- ► T-handle quickly attaches to cable for added comfort
- ► Also includes chamber flag, 0.5 fl.oz. Shooter's Choice FP-10 Lubricant Elite® CLP & instruction manual
- ► All items packed neatly in a 4"x4"x2.5" soft pack case
- ► No Nonsense Warranty
- ► Made in the USA.

TACTICAL CLEANING KIT

FG-750

PROFESSIONAL PISTOL CLEANING KIT

- ▶ 100% cotton 2" & 3" panoply patches (10 each) and small & large slotted tips
- ▶ .22 cal, .38 cal/9mm, .40 cal & .45 cal bore brushes with size marked on brush stem
- ▶ 8" & 12" aircraft grade Memory-Flex® cable for proper Breech-to-Muzzle® cleaning (slotted tip permanently affixed on 8" cable)
- Obstruction remover knocks out mud, snow, stuck casings and doubles as a t-handle base for included female rod handle
- ► Pin punch, end brush, scraper, straight & bent pick, short AP brush for more precise cleaning
- ► Also includes chamber flag, 0.5 fl.oz. Shooter's Choice FP-10 Lubricant Elite® CLP & instruction manual
- ► All items packed neatly in a 4"x4"x2.5" soft pack case
- ► No Nonsense Warranty
- ► Made in the USA.

PROFESSIONAL PISTOL CLEANING KIT

FG-645





CLEANING

STIS SMART GLIN CARE

5.56 REALITY BASED TRAINING KIT

- ▶ Designed for firearms that use .223cal / 5.56mm paint marker training ammunition
- ► Includes Breech-to-Muzzle® cleaning tools for properly cleaning the bore such as Ripcord®, slotted tip, bore brush and 100% cotton patches (50)
- ► Chamber brush and solid rod set for proper cleaning of chamber
- Bent pick and single tip cotton swabs (10) for removing any paint or projectile fragments from the chamber
- ► Stiff blue nylon AP brush for removing plastic or paint fouling from the bolt face and lugs
- Shooter's Choice 15 fl. oz. Quick Scrub Aerosol and 4 fl. oz. FP-10 Lubricant Elite® CLP also included for proper bore cleaning.

REALITY BASED TRAINING KIT

LFG-100-556

5.56 TRAINING RANGE BOX

- ► Each Training Range Box includes 25 each Memory-Flex® cables and firearm-specific bore brushes for proper Breech-to-Muzzle® cleaning
- ► .223cal / 5.56mm firearm-specific chamber brushes (25)
- Obstruction removers knock out mud, snow, stuck casings and double as a T-handle base for included T-handle (25 each)
- Blue nylon all purpose receiver brushes, bent pick, scraper and chamber rod included for added cleaning (25 each)
- ► .5oz of Shooter's Choice FP-10 Lubricant Elite® CLP (25 bottles)
- All items packaged neatly in a hard plastic range box, which features a gun vise for stability while cleaning
- ► No Nonsense Warranty
- ► Made in the USA.

5.56 TRAINING RANGE BOX

FG-4016-556-T

8-IN-1 PISTOL T TOOL

This small, yet mighty tool is an essential item for any Glock owner. Handles a variety of maintenance needs for your pistol all in one tool that easily fits in your pocket, range bag or pistol case.

NEW- 8-IN-1 PISTOL T TOOL FG-THT-P1







8 IN 1 PISTOL T-TOOL MAG DISASSEMBLY

Two popular items in one convenient pack. A must-have for any Glock owner, this combo includes an 8-in-1 Pistol T-Tool and a Magazine Plate Disassembly Tool for Glocks, both proudly designed & manufactured in the U.S.

8 IN 1 PISTOL T-TOOL MAG DISASSEMBLY FG-THT-P1-GMDT





SHOOTER'S CHOICE

CLEANING

12 GAUGE SHOTGUN CLEANING KIT

- ► Cleans 12 gauge shotguns
- ► Aluminum shotgun rod set with female 8-32 threaded end and swivel handle for easy cleaning
- ► Shotgun 8-32 to 5/16-27 thread adapter
- ▶ 3" 12 gauge bronze phosphor bore brush
- ► 3" 12 gauge cotton bore mop

- ► 12 gauge pierce point jag
- ► 12 gauge slotted tip
- ► 20 count 2 ½" 100% cotton cleaning patches
- ► Nylon All-Purpose cleaning brush
- ► 0.5 fl. oz. bottle of FP-10 Lubricant Elite® CLP



12 GAUGE CLEANING KIT

SHF-SRK-12

.22 CAL RIFLE CLEANING KIT

- ► Cleans: 22LR, 22 WMR, 22 Hornet, 222 Rem, 223 Rem, 22-250 Rem and other .223/.224 bore diameter ► Nylon All-Purpose cleaning brush rifles
- ► (4) aluminium rod sections with male/female 8-32 threaded ends and swivel handle rod for easy cleaning ▶ 0.5 fl. oz. bottle of FP-10 Lubricant Elite® CLP
- ▶ 3" .22 calibre bronze phosphor bore brush
- ► 3" .22 calibre cotton bore mop

► 100 count 1"x1" cleaning patches

- ► .22 calibre pierce point jag
- ► .22 calibre slotted jag



.22 CAL RIFLE CLEANING KIT

SHF-SRK-22

.30 CAL RIFLE CLEANING KIT

- ► Suitable for .30, .30-06, .30-30, .303, .308, .300 Win Mag, .32 calibre, 7.62mm & 8mm rifles
- ► (4) aluminium rod sections with male/female 8-32 threaded ends and swivel handle rod for easy
- ▶ 3" .30 calibre bronze phosphor bore brush
- ► 3" .30 calibre cotton bore mop

- ► 20 count 2.5" x 2.5" cleaning patches
- ► Nylon All-Purpose cleaning brush
- ► .30 calibre pierce point jag
- ► .30 calibre slotted jag
- ► 0.5 fl. oz. bottle of FP-10 Lubricant Elite® CLP



.30 Cal Rifle Cleaning Kit

SHF-SRK-30

9MM PISTOL CLEANING KIT

- ► Cleans .38 cal/9mm pistols
- ► Aluminum rod section with female 8/32 threaded end and swivel handle for easy cleaning
- ► 2" 9mm bronze phosphor bore brush
- ▶ 2" 9mm cotton bore mop
- ▶ 9mm pierce point jag

- ▶ 9mm slotted tip
- ► 20 count 2.5"x2.5" 100% cotton cleaning patches
- ► Nylon All-Purpose cleaning brush
- ► 0.5 fl. oz. bottle of FP-10 Lubricant Elite® CLP



SHF-SRK-9MM



TRIGGERTECH

TRIGGERTECH

REMINGTON 700 FACTORY TRIGGERS

RIGHT HANDED, WITH BOLT RELEASE

- ► For use in Remington 700 Factory firearms with a bolt release mechanism in the trigger guard.
- ► Right handed safety location
- ► Available in both Primary and Special series as well as single and two stage variants.
- ► Two stage variants feature independently adjustable stage weights







Series	Stage(s)	Trigger Pull Weight (lbs)	Trigger Shape	Trigger/Safety Colour	Safety Location	Housing Colour	SKU
	Single	1.5 - 4	Trad. Curved	PVD Black	Тор	Black	R70-SBB-14-TBC
Primary	Single	1.5 - 4	Straight Flat	PVD Black	Тор	Black	R70-SBB-14-TBF
듩	Single	1.5 - 4	Trad. Curved	Stainless	Тор	Black	R70-SBS-14-TBC
_	Single	1.5 - 4	Straight Flat	Stainless	Тор	Black	R70-SBS-14-TBF
	Single	1 - 3.5	Trad. Curved	PVD Black	Тор	Black	R70-SBB-13-TBC
	Single	1 - 3.5	Straight Flat	PVD Black	Тор	Black	R70-SBB-13-TBF
न्न	Single	1 - 3.5	Pro Curved	PVD Black	Тор	Black	R70-SBB-13-TBP
Special	Single	1 - 3.5	Trad. Curved	Stainless	Тор	Black	R70-SBS-13-TBC
S	Single	1 - 3.5	Straight Flat	Stainless	Тор	Black	R70-SBS-13-TBF
	Two	1 - 3.5	Straight Flat	PVD Black	Тор	Charcoal	R70-TCB-13-TBF
	Two	1 - 3.5	Pro Curved	PVD Black	Тор	Charcoal	R70-TCB-13-TBP

REMINGTON 700 FACTORY TRIGGERS

LEFT HANDED, WITH BOLT RELEASE

- ► For use in Remington 700 Factory firearms with a bolt release mechanism in the trigger guard.
- ► Left handed safety location
- ► Available in both Primary and Special series.







Series	Stage(s)	Trigger Pull Weight (lbs)	Trigger Shape	Trigger/Safety Colour	Safety Location	Housing Colour	SKU
	Single	1.5 - 4	Trad. Curved	PVD Black	Тор	Black	R7L-SBB-14-TBC
ıary	Single	1.5 - 4	Straight Flat	PVD Black	Тор	Black	R7L-SBB-14-TBF
Primary	Single	1.5 - 4	Trad. Curved	Stainless	Тор	Black	R7L-SBS-14-TBC
_	Single	1.5 - 4	Straight Flat	Stainless	Тор	Black	R7L-SBS-14-TBF
	Single	1 - 3.5	Trad. Curved	PVD Black	Тор	Black	R7L-SBB-13-TBC
ਰ	Single	1 - 3.5	Straight Flat	PVD Black	Тор	Black	R7L-SBB-13-TBF
Special	Single	1 - 3.5	Pro Curved	PVD Black	Тор	Black	R7L-SBB-13-TBP
<u>∾</u>	Single	1 - 3.5	Trad. Curved	Stainless	Тор	Black	R7L-SBS-13-TBC
	Single	1 - 3.5	Straight Flat	Stainless	Тор	Black	R7L-SBS-13-TBF

TRIGGERTECH



REMINGTON 700 CLONE TRIGGERS

RIGHT HANDED, WITHOUT BOLT RELEASE

- ► For use in Remington 700 Clone type firearms without the bolt release in the trigger guard
- ► Right handed safety location
- ► Available in:
- ► Primary, Special, and Diamond series
- ► Single or Two Stage designs
- ► Top or Bottom Safety variants
- ► Two stage variants feature independently adjustable stage weights
- ► Bottom Safety variants are considered ambidextrous, but protrude from the right side of the housing



Series	Stage(s)	Trigger Pull Weight (lbs)	Trigger Shape	Trigger/Safety Colour	Safety Location	Housing Colour	SKU
	Single	1.5 - 4	Trad. Curved	Stainless	Тор	Black	R70-SBS-14-TNC
	Single	1.5 - 4	Straight Flat	Stainless	Тор	Black	R70-SBS-14-TNF
lary	Single	1.5 - 4	Trad. Curved	PVD Black	Тор	Black	R70-SBB-14-TNC
Primary	Single	1.5 - 4	Straight Flat	PVD Black	Тор	Black	R70-SBB-14-TNF
	Single	1.5 - 4	Trad. Curved	PVD Black	Bottom	Black	R70-SBB-14-BNC
	Single	1.5 - 4	Straight Flat	PVD Black	Bottom	Black	R70-SBB-14-BNF
	Single	1 - 3.5	Trad. Curved	Stainless	Тор	Black	R70-SBS-13-TNC
	Single	1 - 3.5	Straight Flat	Stainless	Тор	Black	R70-SBS-13-TNF
	Single	1 - 3.5	Trad. Curved	PVD Black	Тор	Black	R70-SBB-13-TNC
ᡖ	Single	1 - 3.5	Straight Flat	PVD Black	Тор	Black	R70-SBB-13-TNF
Special	Single	1 - 3.5	Pro Curved	PVD Black	Тор	Black	R70-SBB-13-TNP
Sp	Single	1 - 3.5	Straight Flat	PVD Black	Bottom	Black	R70-SBB-13-BNF
	Single	1 - 3.5	Pro Curved	PVD Black	Bottom	Black	R70-SBB-13-BNP
	Two	1 - 3.5	Straight Flat	PVD Black	Тор	Charcoal	R70-TCB-13-TNF
	Two	1 - 3.5	Pro Curved	PVD Black	Тор	Charcoal	R70-TCB-13-TNP
	Single	0.3 - 2	Trad. Curved	PVD Black	Тор	Red	R70-SRB-02-TNC
	Single	0.3 - 2	Straight Flat	PVD Black	Тор	Red	R70-SRB-02-TNF
р	Single	0.3 - 2	Pro Curved	PVD Black	Тор	Red	R70-SRB-02-TNP
Diamond	Single	0.3 - 2	Straight Flat	PVD Black	Bottom	Red	R70-SRB-02-BNF
Dia	Single	0.3 - 2	Pro Curved	PVD Black	Bottom	Red	R70-SRB-02-BNP
	Two	0.5 - 2.8	Straight Flat	PVD Black	Тор	Green	R70-TGB-02-TNF
	Two	0.5 - 2.8	Pro Curved	PVD Black	Тор	Green	R70-TGB-02-TNP



TRIGGERTECH



REMINGTON 700 CLONE TRIGGERS

LEFT HANDED, WITHOUT BOLT RELEASE

- ► For use in Remington 700 Clone firearms without a bolt release mechanism in the trigger guard.
- ► Left handed safety location
- ► Available in Primary, Special, and Diamond series



Series	Stage Design	Trigger Pull Weight (lbs)	Trigger Shape	Trigger/Safety Colour	Safety Location	Housing Colour	SKU
	Single	1.5 - 4	Trad. Curved	PVD Black	Тор	Black	R7L-SBB-14-TNC
lary	Single	1.5 - 4	Straight Flat	PVD Black	Тор	Black	R7L-SBB-14-TNF
Primary	Single	1.5 - 4	Trad. Curved	Stainless	Тор	Black	R7L-SBS-14-TNC
	Single	1.5 - 4	Straight Flat	Stainless	Тор	Black	R7L-SBS-14-TNF
	Single	1 - 3.5	Trad. Curved	PVD Black	Тор	Black	R7L-SBB-13-TNC
-	Single	1 - 3.5	Straight Flat	PVD Black	Тор	Black	R7L-SBB-13-TNF
Special	Single	1 - 3.5	Pro Curved	PVD Black	Тор	Black	R7L-SBB-13-TNP
S	Single	1 - 3.5	Trad. Curved	Stainless	Тор	Black	R7L-SBS-13-TNC
	Single	1 - 3.5	Straight Flat	Stainless	Тор	Black	R7L-SBS-13-TNF
2	Single	0.3 - 2	Trad. Curved	PVD Black	Тор	Red	R7L-SRB-02-TNC
Diamond	Single	0.3 - 2	Straight Flat	PVD Black	Тор	Red	R7L-SRB-02-TNF
Dia	Single	0.3 - 2	Pro Curved	PVD Black	Тор	Red	R7L-SRB-02-TNP

WEATHERBY MK V TRIGGERS

AMBIDEXTROUS, WITH BOLT RELEASE

- ► For use in Weatherby MK V Models as a drop-in replacement or upgrade for the existing TriggerTech trigger
- ► Available in Primary and Special Series





Series	Stage(s)	Trigger Pull Weight (lbs)	Trigger Shape	Trigger Colour	Safety Location	Housing Colour	Bolt Release	SKU
Primary	Single	1.5 - 4	Weatherby Curved	PVD Black	N/A	Black	Yes	WM5-SBB-14-NBW
Primary	Single	1.5 - 4	Straight Flat	PVD Black	N/A	Black	Yes	WM5-SBB-14-NBF
Special	Single	1 - 3.5	Weatherby Curved	PVD Black	N/A	Black	Yes	WM5-SBB-13-NBW
Special	Single	1 - 3.5	Straight Flat	PVD Black	N/A	Black	Yes	WM5-SBB-13-NBF



REMINGTON 700






Every TriggerTech Rem 700 Trigger offers zero creep, contamination resistance, easy adjustment, minimal overtravel and industry leading reliability.

PRIMARY - A zero creep trigger with a pull weight range suitable to for most situations.


SPECIAL - A refined version of the primary for those looking for pull weight between 450gm and 680gm.

DIAMOND - Designed for competitive shooting with the help of the K&M Shooting Team, the Diamond features matched internal components that enable sub 110gms break weights and variable rate adjustment technology.

SINGLE-STAGE PULL WEIGHT ADJUSTMENT RANGE



REM 700 - DECISION TREE





MOUNTS / RINGS / BASES



WHO IS WARNE?

SHOOTERS AT HEART - We are shooters who create, design, sell and use our products.

We enjoy the outdoors and all aspects of the shooting sports. We are proudly based out of the Pacific Northwest in Tualatin, Oregon. Our products are made here in the USA and we are completely hands on during the whole manufacturing process. The Warne® brand has been and always will be "built by shooters, for shooters".



WARRANTY INFO

- All Warne Scope Mounts carry our quality guarantee against damage or defects in workmanship for the life of the product.
- ► No Receipt, No Warranty Card, No Package No Problem.
- We will repair or replace (at our discretion) your Warne product in the event it becomes damaged or defective during normal use at no charge to you. High quality scope mounts & exceptional customer service are our top priorities.
- ▶ We want you to be satisfied and confident that we stand behind our products round after round.

ICON LEGEND

Look for these icons throughout the catalog to find which of these benefits and features fit your needs.

AB 7075 Billet	7075 billet aluminum has the high, strength-to-weight ratio, required for ultra-strong and lightweight mounts. Used in the aerospace industry, 7075 exceeds military specifications.	LE/Military	Strength and dependability for law enforcement and military use.
AL Aluminium	Designed to offer a good strength to weight ratio, attractive finish and high value to shooters.	LR Long Range	Designed specifically to excel at long range precision and extreme distance shooting.
An Anodised Finish	Adds protection and keeps the product looking new for greater long term value.	LW Lightweight	Engineered to be 30-60% lighter than similar mounts.
AR MST Ideal Height	Allows the most ergonomic shooting position for MSR's with an optic.	NS NATO/ STANAG	NATO tests show that this attachment method increases repeatable alignment. These mounts are Weaver style and Mil-Spec 1913 compatible.
CK Cerakote Finish	Reduces abrasion and wear while giving a unique colour finish to individualise your firearm.	Quick Detach	Quickly switch between scope and iron sights, swap scopes or remove scope for easier transport and storage. Toolless design for installation and removal.
Co Competition	Highest quality materials - finishes and features that competition shooters demand.	RTZ Return to Zero	Confidently remove and re-mount your scope while maintaining the same point of impact.
H20	Designed to withstand anything Mother Nature dishes out.	SI Steel Inserts	Reinforces thread engagement, eliminating stripped screws.
HC Hardcoat Anoticed Passin	Reduces abrasion and wear while giving a unique colour finish to individualise your firearm.	SS Sintered Steel	Superior strength and clamping characteristics specifically formulated for scope mounts.
Hunting	Highest quality materials - finishes and features that competition shooters demand.	ST Steel	Made of steel for the strongest foundation available.
AB 7075	Better strength and toughness than carbon steel, ideal for hand tools.	Ts Target	Engineered to provide world class performance at the range or in the field.



MOUNTAIN TECH RINGS

WHY WE DESIGNED THESE:



LIGHTWEIGHT & ELEMENT PROOF - We engineered Warne® Mountain Tech™ as a lightweight and rugged scope ring design that is equally at home on a mountain rifle or precision target rifle. Featuring 7075 aluminum construction and stainless hardware to withstand the punishing conditions Mother Nature can dish out (DESIGN PATENT D802703).







PART NUMBER	RING HEIGHT	FITS OBJECTIVE SIZE* (GENERAL RANGES)	DIMENSION A	DIMENSION B	DIMENSION C	WEIGHT (PER PAIR)	RING STYLE
7200M	Low	Up to 36mm	1 inch	.275"	.705"	2.9 oz	FIXED
7201 (M or BB)	Medium	Up to 42mm	1 inch	.400"	.705"	3.9 oz	FIXED
7202M	High	Up to 52mm	1 inch	.550"	.705"	4.2 oz	FIXED
7204M	Ultra High	Up to 72mm	1 inch	.900"	.705"	5.1 oz	FIXED
7213 (M or BB)	Low	Up to 42mm	30mm	.275"	.705"	3.5 oz	FIXED
7214 (M or BB)	Medium	Up to 52mm	30mm	.400"	.705"	3.9 oz	FIXED
7215M	High	Up to 56mm	30mm	.550"	.705"	4.5 oz	FIXED
7217M	Ultra High	Up to 72mm	30mm	.750"	.705"	5.1 oz	FIXED
7220M	Low	Up to 42mm	34mm	.275"	.705"	3.9 oz	FIXED
7221M	Medium	Up to 52mm	34mm	.400"	.705"	4.2 oz	FIXED
7222M	High	Up to 56mm	34mm	.550"	.705"	4.5 oz	FIXED
7224M	Ultra High	Up to 72mm	34mm	.750"	.705"	5.1 oz	FIXED
7240M	Low	Up to 42mm	35mm	.275"	.705"	3.9 oz	FIXED
7241M	Medium	Up to 52mm	35mm	.400"	.705"	4.2 oz	FIXED
7242M	High	Up to 56mm	35mm	.550"	.705"	4.5 oz	FIXED
7244M	Ultra High	Up to 72mm	35mm	.750"	.705"	5.1 oz	FIXED
7250M	Low	Up to 52mm	40mm	.325"	.705"	4.3 oz	FIXED

^{*} All sizes listed are approximate, every firearm and scope set up varies. Calculations are based on full length Picatinny rail interference.

FINISH COLOUR LEGEND:

Finish colour is determined by the specific letter at the END of the part number. All part numbers are available in matte finish (M) and part numbers available in cerakote burnt bronze will have a (BB) notated above.

Final part number example: 7201M is matte black and 7201BB is burnt bronze finish.



RAILS



MOUNTAIN TECH RAILS



VERSATILITY & STABILITY - Warne® Mountain Tech™ rails offer shooters the advantage of a consistent mounting platform across multiple firearms, enhanced ability to adjust proper eye relief and superior alignment of ring mounts. With self-centering hardware and aerospace grade materials, our Mountain Tech™ rails provide a lightweight and robust platform for your rifle.





FIREARM MANUFACTURER & MODEL	1 PIEC	E RAIL - 0 MOA	1 PIECE RAIL - 20 MOA		
	SHORT ACTION	LONG ACTION	SHORT ACTION	LONG ACTION	
Bergara Premier Series (Rem 700 style, 8-40 Screws)	7671M	7672M	7671-20MOA	7672-20MOA	
Browning X-Bolt	7641M 7641BB	7642M 7642BB	7641-20MOA 7641BB-20MOA	7642-20MOA 7642BB-20MOA	
Browning X-Bolt Super Short Action	7640M		7640-20MOA		
CZ 452/455			7755M†	7755M†	
CZ 457			7757M†	7767M†	
IS Precision (8-40 Screws)	7671M	7672M	7671-20MOA	7672-20MOA	
Howa 1500 & 1700	7650M	7651M	7650-20MOA	7651-20MOA	
Howa Mini Action	7656M	7656M	7656-20MOA	7656-20MOA	
Kimber 84M	7657M	7657M	7657-20MOA	7657-20MOA	
Kimber 84L	7658M	7658M	7658-20MOA	7658-20MOA	
Kimber 8400 WSM	7659M	7659M	7659-20MOA	7659-20MOA	
Kimber 8400 Magnum	7660M	7660M	7660-20MOA	7660-20MOA	
Nosler M48	7682M	7683M	7682-20MOA	7683-20MOA	
Remington Police & XCR .338 LM (8-40 Screws)	7671M	7672M	7671-20MOA	7672-20MOA	
Remington 700	7673M 7673BB	7674M 7674BB	7673-20MOA 7673BB-20MOA	7674-20MOA 7674BB-20MOA	
Ruger American Centerfire	7684M	7685M	7684-20MOA	7685-20MOA	
Savage Accu-Trigger, Round Receiver, All Center Fire [§] Accu-Trigger (with 8-40 Screws)	7666M 7664M	7667M 7665M	7666-20MOA 7664-20MOA	7667-20MOA 7665-20MOA	
Savage 220F Slug Gun		7667M		7667-20MOA	
Savage AXIS & Edge	7699M	7699M	7699-20MOA	7699-220MOA	
Savage AXIS/AXIS II 2021 & Newer models (8-40 Screws)	7698M	7698M	7698-20MOA	7698-20MOA	
Tikka T3, T3X	76T3M	76T3M	76T3-20MOA	76T3-20MOA	
Veatherby Mark V Magnum 9 Lug, Except .240 WM	7654M	7654M	7654-20MOA	7654-20MOA	
Veatherby Mark V Standard 6 Lug	7653M	7653M	7653-20MOA	7653-20MOA	
Veatherby Vanguard	7650M	7651M	7650-20MOA	7651-20MOA	
Vinchester Model 70 Standard Pre & Post 64 with .860 RHS*	7675M	7676M	7675-20MOA	7676-20MOA	
Vinchester Model 70 WSM	7677M		7677-20MOA		
Vinchester XPR	7688M	7686M	7688-20MOA	7686-20MOA	
Remington 700**	M673M	M674M	M673-20MOA	M674-20MOA	

^{† 15}MOA Picatinny Rail Adaptor § Will not fit the Savage Model 25. * RHS=Rear Hole Spacing: The measurement between the two rear screw holes, centre to centre. FINISH COLOURS: All part numbers are matte black unless notated with a "BB" for cerakote burnt bronze. **Tactical Steel Rail Series

BASES

WARNE

MAXIMA BASES



STRENGTH & VERSATILITY - Warne® Maxima® steel bases are the strongest and most versatile mounting system available today. The simple low profile design along with steel construction is a significant upgrade from any other 2 piece bases.





MANUFACTURER & MODEL	2 PIECE STEEL Base set
Anschutz	M824/824M
Browning A-Bolt, 22 Stalker, Micro-Medallion, WSM	M918/918M
Browning A-Bolt Slug Gun (Shotgun)	M904/922M
Browning A-Bolt 3	M912/912M
Browning BAR, BAR II, Mark II, BLR Lightweight, Maral	M848/848M
Browning BLR (Steel Receiver)	M838/838M
Browning T-Bolt	M824/824M
Browning X-Bolt	M927/929M (BB)
Cooper 21, 36, 38 & 57	M888/842M
Cooper 16, 22, 50, 52, 54 & 56	M898/848M (S)
CVA-V2 Series Round Barrel	M980/980M
Howa 1500 & 1700	M902/876M (BB)
JC Higgins Model 50	M902/831M
Kimber 8400 with 8-40 screws	M887/841M
Kimber M84 & New 22 with 8-40 screws	M889/843M
Marlin 9, 45, 30AS, 36, 62, 93, 336, 336C, 375 &1895	M864/864M
Marlin 1894 Cowboy, 444, Glenfield 30, Zane Grey	M864/864M
Marlin XL-7	M902/924M
Mauser 98 Altered	M902/830M
Mauser 98 Unaltered	M902/832M
Nosler M48	M902/876M (BB)
Remington 700	M902/876M (BB)
Remington 7400, 7600, 7615, FOUR, SIX & New 750	M894/870M
Remington 783	M902/902M
Remington New Model 7, 600, 660, 670, 673, XP-100 & XR-100	7699M

*The M9T3M,	M987M &	M988M	part numbers	are a 1	piece W	leaver :	style bas	es not a	2 piece
base set.									

[§] Will not fit the Savage Model 25.

 $\textbf{RHS} = \textbf{Rear Hole Spacing: The measurement between the two rear screw holes, centre \ to \ centre.}$

FINISH COLOUR LEGEND:

Finish colour is determined by the specific letter at the END of the part number. All part numbers are available in matte finish (M) and part numbers available in burnt bronze will have a (BB) notated above. (M) is blued finish and (BB) is cerakote finish.

Final part number example: M902/876M is matte black finish and M902/876BB is burnt bronze finish.

MANUFACTURER & MODEL	2 PIECE STEEL Base set
Ruger 10/22	M858/918M
Ruger American	M902/902M
Sako A-7	M918/918M
Savage Pre 2003 Bolt Action, Flat Receiver, Non Accu-Trigger	M902/936M
Savage Accu-Trigger, Round Receiver, All Center Fire §	M902/902M
Savage 10, 110 BA, FCP (Savage Round Receiver with 8-40 Screws)	M912/912M
Savage Mark II, 93, 93R17	M824/824M
Savage Models 10, 11, 12, 14, 16, 110, 111, 112, 114, 116	M902/902M
Savage 220F Slug Gun, Axis, Axis II, Edge, New 110	M902/902M
Tikka All Flat Tops	M932/932M
Tikka T3	M9T3M*
Thompson Center Encore, Omega & Triumph Bone Collector	M987M*
Thompson Center Contender	M988M*
Thompson Center Venture	M902/902M
Weatherby Mark V Standard 6 Lug & .240 WM	M888/875M
Weatherby Mark V Magnum 9 Lug, Except .240 WM	M902/879M
Weatherby Vanguard	M902/876M (BB)
Winchester Model 70 Std. Pre & Post 64 with .860 RHS	M902/924M
Winchester Model 70 WSM	M902/924M
Winchester Model 70 Post 64 Magnum with .330 RHS	M902/802M
Winchester Model 70 Pre 64 Magnum with .440 RHS	M902/818M
Winchester Model 70 WSSM	M902/903M
Winchester XPR	M916/954M







MAXIMA SCOPE RINGS - HORIZONTAL




THE NEW STANDARD - Warne® Maxima® Horizontal™ Rings evolved from the concept of incorporating the world renowned performance, materials and reputation of Maxima rings in a more traditional, horizontally split configuration. Maxima Horizontal rings include several design features that enhance performance, ease installation and include the return to zero guarantee that Warne is known for.





KEY FEAT	TURES		BEST U	SES:
Ss	RтZ	Ns	Hu	Ts
Sintered Steel	Return to Zero	NATO/ STANAG	Hunting	Target Shooting



PART NUMBER	RING HEIGHT	FITS OBJECTIVE SIZE* (GENERAL RANGES)	DIMENSION A	DIMENSION B	DIMENSION C	WEIGHT (PER PAIR)	RING STYLE
500M	Low	Up to 36mm	1 inch	.250"	.650"	4.9 oz	FIXED
501M	Medium	Up to 42mm	1 inch	.375"	.650"	5.8 oz	FIXED
502M	High	Up to 52mm	1 inch	.525"	.650"	6.8 oz	FIXED
513M	Low	Up to 42mm	30mm	.250"	.650"	5.0 oz	FIXED
514M	Medium	Up to 52mm	30mm	.375"	.650"	6.0 oz	FIXED
515M	High	Up to 56mm	30mm	.525"	.650"	6.9 oz	FIXED

^{*} All sizes listed are approximate, every firearm and scope set up varies.






MAXIMA SCOPE RINGS - VERTICAL



INCREDIBLE HOLDING POWER & ELEGANT PROFILE - Warne® Maxima® Rings have proven to be the strongest scope rings on the market. The vertically split design offers robust simplicity and ease of installation. American made quality and precision at an affordable price make Warne® Maxima® scope rings the best in their class.







PART NUMBER	RING HEIGHT	FITS OBJECTIVE SIZE* (GENERAL RANGES)	DIMENSION A	DIMENSION B	DIMENSION C	WEIGHT (PER PAIR)	RING STYLE
200M	Low	Up to 36mm	1 inch	.250"	.705"	4.3 oz	FIXED
201M	Medium	Up to 42mm	1 inch	.375"	.705"	5.2 oz	FIXED
202M	High	Up to 52mm	1 inch	.525"	.705"	6.2 oz	FIXED
203M	Extra High	Up to 56mm	1 inch	.650"	.705"	6.8 oz	FIXED
213M	Low	Up to 42mm	30mm	.250"	.705"	4.6 oz	FIXED
214M	Medium	Up to 52mm	30mm	.375"	.705"	5.3 oz	FIXED
215M	High	Up to 56mm	30mm	.525"	.705"	6.2 oz	FIXED
216M	Extra High	Up to 62mm	30mm	.650"	.705"	7.1 oz	FIXED
220M	Low	Up to 42mm	34mm	.250"	.705"	4.7 oz	FIXED
221M	Medium	Up to 52mm	34mm	.375"	.705"	5.5 oz	FIXED
222M	High	Up to 56mm	34mm	.525"	.705"	6.4 oz	FIXED
231M	Medium	Up to 65mm	36mm	.375	.705"	5.9 oz	FIXED
200LM	Low	Up to 36mm	1 inch	.250"	.705"	4.9 oz	QUICK DETACH
201LM	Medium	Up to 42mm	1 inch	.375"	.705"	5.8 oz	QUICK DETACH
202LM	High	Up to 52mm	1 inch	.525"	.705"	6.8 oz	QUICK DETACH
203LM	Extra High	Up to 56mm	1 inch	.650"	.705"	7.4 oz	QUICK DETACH
204LM	Ultra High	Up to 72mm	1 inch	.935"	.705"	9.3 oz	QUICK DETACH
213LM	Low	Up to 42mm	30mm	.250"	.705"	5.2 oz	QUICK DETACH
214LM	Medium	Up to 52mm	30mm	.375"	.705"	5.9 oz	QUICK DETACH
215LM	High	Up to 56mm	30mm	.525"	.705"	6.9 oz	QUICK DETACH
216LM	Extra High	Up to 62mm	30mm	.650"	.705"	7.7 oz	QUICK DETACH
217LM	Ultra High	Up to 72mm	30mm	.850"	.705"	9.7 oz	QUICK DETACH
220LM	Low	Up to 42mm	34mm	.250"	.705"	5.3 oz	QUICK DETACH
221LM	Medium	Up to 52mm	34mm	.375"	.705"	6.0 oz	QUICK DETACH
222LM	High	Up to 56mm	34mm	.525"	.705"	7.1 oz	QUICK DETACH
231LM	Medium	Up to 65mm	36mm	.375"	.705"	6.4 oz	QUICK DETACH

^{*} All sizes listed are approximate, every firearm and scope set up varies.





MAXIMA SCOPE RINGS - TIKKA - CZ - RUGER



SIMPLICITY! - Tikka rifles have a grooved receiver that allows for a dovetail ring to mount directly to it, negating the need for a base.

Tikka Rail and base options:

76T3M - Aluminum rail for Tikka T3, T3X models

76T3-20MOA - 20MOA aluminum rail for Tikka T3, T3X models

M6T3M - Steel rail for Tikka T3, T3X models

M6T3-20M0A - 20M0A steel rail for Tikka T3, T3X models

M9T3M - Steel Weaver style 1 piece base for Tikka T3 models

M932/932M - Steel Weaver style 2 piece bases for all flat top Tikka models

CZ RINGS:

DIRECT FIT UPGRADE - Designed to fit the 19mm 550/557 and the 16mm 527 integral dovetails.

11mm Picatinny Rail Adaptor Options:

7755M - 15MOA rail for CZ 452/455 models

7757M - 15MOA rail for CZ 457 models

RUGER RINGS:

MODEL SPECIFIC FIT - Sold in pairs, Maxima® Ruger rings are packaged in model specific configurations to fit Ruger's proprietary dovetails.









	PART NUMBER	RING HEIGHT	FITS OBJECTIVE SIZE* (GENERAL RANGES)	DIMENSION A	DIMENSION B	DIMENSION C	WEIGHT (PER PAIR)	RING STYLE
	1TM	Medium	Up to 42mm	1 inch	.460"	.705"	5.6 oz	FIXED
	2TM	High	Up to 52mm	1 inch	.570"	.705"	6.3 oz	FIXED
	14TM	Medium	Up to 52mm	30mm	.460"	.705"	5.7 oz	FIXED
	15TM	High	Up to 56mm	30mm	.570"	.705"	6.4 oz	FIXED
+ Fits only TIKKA MODELS	1TLM	Medium	Up to 42mm	1 inch	.460"	.705"	6.0 oz	QUICK DETACH
	2TLM	High	Up to 52mm	1 inch	.570"	.705"	6.8 oz	QUICK DETACH
¥ ¥ S	14TLM	Medium	Up to 52mm	30mm	.460"	.705"	6.1 oz	QUICK DETACH
+ <u>\</u>	15TLM	High	Up to 56mm	30mm	.570"	.705"	6.8 oz	QUICK DETACH
	1B1M	Medium	Up to 42mm	1 inch	.425"	.705"	5.3 oz	FIXED
	2B1M	High	Up to 52mm	1 inch	.535"	.705"	6.0 oz	FIXED
	14B1M	Medium	Up to 52mm	30mm	.425"	.705"	5.4 oz	FIXED
တ	15B1M	High	Up to 56mm	30mm	.535"	.705"	6.1 oz	FIXED
DEI	1B1LM	Medium	Up to 42mm	1 inch	.425"	.705"	5.8 oz	QUICK DETACH
Fits only 2 527 MODELS	2B1LM	High	Up to 52mm	1 inch	.535"	.705"	6.5 oz	QUICK DETACH
Fits c 527	14B1LM	Medium	Up to 52mm	30mm	.425"	.705"	5.9 oz	QUICK DETACH
CZ CZ	15B1LM	High	Up to 56mm	30mm	.535"	.705"	6.6 oz	QUICK DETACH

^{*} All sizes listed are approximate, every firearm and scope set up varies.



MAXIMA SCOPE RINGS - TIKKA - CZ - RUGER Cont'd



	PART NUMBER	RING HEIGHT	FITS OBJECTIVE SIZE* (GENERAL RANGES)	DIMENSION A	DIMENSION B	DIMENSION C	WEIGHT (PER PAIR)	RING STYLE
	1BM	Medium	Up to 42mm	1 inch	.425"	.705"	5.4 oz	FIXED
	2BM	High	Up to 52mm	1 inch	.535"	.705"	6.1 oz	FIXED
	14BM	Medium	Up to 52mm	30mm	.425"	.705"	5.4 oz	FIXED
ELS	15BM	High	Up to 56mm	30mm	.535"	.705"	6.3 oz	FIXED
Fits only CZ 550 MODELS	1BLM	Medium	Up to 42mm	1 inch	.425"	.705"	5.9 oz	QUICK DETACH
Z 550	2BLM	High	Up to 52mm	1 inch	.535"	.705"	6.7 oz	QUICK DETACH
only C	14BLM	Medium	Up to 52mm	30mm	.425"	.705"	6.1 oz	QUICK DETACH
Fils	15BLM	High	Up to 56mm	30mm	.535"	.705"	6.9 oz	QUICK DETACH
ELS	1RM	Medium	Up to 42mm	1 inch	.460"	.705"	5.6 oz	FIXED
MOD	2RM	High	Up to 52mm	1 inch	.585"	.705"	6.5 oz	FIXED
& MINI 14 MODELS	14RM	Medium	Up to 52mm	30mm	.460"	.705"	5.7 oz	FIXED
8 M	15RM	High	Up to 56mm	30mm	.585"	.705"	6.5 oz	FIXED
Fits only RUGER No. 1	1RLM	Medium	Up to 42mm	1 inch	.460"	.705"	6.0 oz	QUICK DETACH
UGER	2RLM	High	Up to 52mm	1 inch	.585"	.705"	6.9 oz	QUICK DETACH
nly R	14RLM	Medium	Up to 52mm	30mm	.460"	.705"	6.1 oz	QUICK DETACH
Fits (15RLM	High	Up to 56mm	30mm	.585"	.705"	6.8 oz	QUICK DETACH
	1R7M	Medium	Up to 42mm	1 inch	.460"	.705"	6.0 oz	FIXED
Æ	2R7M	High	Up to 52mm	1 inch	.585"	.705"	6.9 oz	FIXED
HAW	14R7M	Medium	Up to 52mm	30mm	.460"	.705"	6.1 oz	FIXED
Fits only RUGER M77 & HAWKEYE	15R7M	High	Up to 56mm	30mm	.585"	.705"	6.9 oz	FIXED
꼾	1R7LM	Medium	Up to 42mm	1 inch	.460"	.705"	6.4 oz	QUICK DETACH
RUG	2R7LM	High	Up to 52mm	1 inch	.570"	.705"	7.2 oz	QUICK DETACH
only	14R7LM	Medium	Up to 52mm	30mm	.460"	.705"	6.6 oz	QUICK DETACH
Ę.	15R7LM	High	Up to 56mm	30mm	.570"	.705"	7.3 oz	QUICK DETACH

 $^{^{\}star}$ All sizes listed are approximate, every firearm and scope set up varies.





MAXIMA RIMFIRE RINGS




OVER BUILT FOR THE TASK - The Warne® Rimfire rings were created to fit both the 3/8th inch and 11mm dovetails found on many common rimfire rifles. Featuring a unique 70/30 horizontal split design, these steel rimfire rings are the best available.





KEY	/ FEAT	URES		BEST U	SES:
S	Ss	RтZ	Ns	Hu	Ts
Si	intered Steel	Return to Zero	NATO/ STANAG	Hunting	Target Shooting







WARNE TIP: When installing either style Rimfire rings, be sure to notice which direction the small dot on the side clamp is facing. If it is in the 'up' position the rings will fit a ¾" dovetail and if the dot is facing 'down' it will fit an 11 mm dovetail.

PART NUMBER	RING HEIGHT	FITS OBJECTIVE SIZE* (GENERAL RANGES)	DIMENSION A	DIMENSION B†	DIMENSION C	WEIGHT (PER PAIR)	RING STYLE
721M	Medium	Up to 42mm	1 inch	.400"	.502"	3.2 oz	FIXED
722M	High	Up to 52mm	1 inch	.525"	.502"	3.6 oz	FIXED
721LM	Medium	Up to 42mm	1 inch	.400"	.502"	3.8 oz	QUICK DETACH
722LM	High	Up to 52mm	1 inch	.525"	.502"	4.3 oz	QUICK DETACH
731M	Medium	Up to 42mm	30mm	.400"	.502"	3.6 oz	FIXED
732M	High	Up to 52mm	30mm	.525"	.502"	4.1 oz	FIXED





VAPOR RINGS & MOUNTS



AFFORDABLE, MADE IN USA QUALITY - Our Vapor® line of mounts were developed and engineered to provide you with a strong and economical mounting solution that outperforms other mounts in their class.





2 PIECE BASES



MANUFACTURER & MODEL	PART NUMBER
Browning X-Bolt	V427/429M
Browning A-Bolt 3 with 8-40 screws	V412/412M
Christensen Arms All Mesa, Ridgeline	V402/476M
Howa 1500	V402/476M
Marlin Lever Action 336, 1894, 1895	V464/464M
Remington 700	V402/476M

MANUFACTURER & MODEL	PART NUMBER
Ruger American Rimfire	V425/425M
Ruger American Centerfire	V402/402M
Savage 10/110 with 8-40 screws	V412/412M
Savage 10/110 with 6-48 screws	V402/402M
Weatherby Vanguard	V402/476M
Winchester Model 70 with .860 RHS	V402/424M

RHS= Rear Hole Spacing: The measurement between the two rear screw holes, centre to centre.



RINGS & MSR MOUNTS

PART NUMBER	RING HEIGHT	FITS OBJECTIVE SIZE* (GENERAL RANGES)	DIMENSION A	DIMENSION B†	DIMENSION C	WEIGHT	RING STYLE	
V400M	Low	Up to 36mm	1 inch	.225"	.600"	1.6 oz	0.01505	
V401M	Medium	Up to 42mm	1 inch	.350"	.600"	1.9 oz	2 PIECE Weaver	
V402M	High	Up to 52mm	1 inch	.550"	.600"	2.2 oz	WEAVER	
V413M	Low	Up to 42mm	30mm	.225"	.600"	1.8 oz	0.015.05	
/414M Medium		Up to 52mm	30mm	.350"	.600"	2.0 oz	2 PIECE Weaver	
V415M	High	Up to 56mm	30mm	.550"	.600"	6.7 oz	VVLAVLIX	
V420M	Low	Up to 36mm	1 inch	.315"	.600"	1.6 oz	0.015.05	
V421M	Medium	Up to 42mm	1 inch	.450"	.600"	1.9 oz	2 PIECE 3/8" DOVETAIL	
V422M	High	Up to 52mm	1 inch	.615"	.600"	2.2 oz	0/0 DOVETALE	
V4001M	Ultra High	Up to 72mm (MSR Ideal)	1 inch	1.40"	.750"	4.7 oz	1 PIECE	
V4011M (20MOA)	Ultra High	Up to 72mm (MSR Ideal)	1 inch	1.40"	.750"	4.7 oz	MSR	
V4002M	Ultra High	Up to 72mm (MSR Ideal)	30mm	1.40"	.750"	4.7 oz	1 PIECE	
V4012M (20MOA)	Ultra High	Up to 72mm (MSR Ideal)	30mm	1.40"	.750"	4.7 oz	MSR	

 $[\]ensuremath{^{\star}}$ All sizes listed are approximate, every firearm and scope set up varies.

[†] For the 1 PIECE MOUNTS - Measurement is from the top of the rail to the centre of the scope tube.



[†] For the RINGS - Measurement is from top of base to the botton of scope tube. (see diagram example on page 112)

MOUNTS



SKYLINE PRECISION MOUNT

1 PIECE MODULARITY - The Warne® Skyline™ Precision Mount has been engineered from the ground up with the precision rifle shooter/competitor in mind. Machined from 7075 T6 aluminum billet, featuring 2 integral recoil lugs along with 4 mounting cross bolts and 10 unique accessory mounting locations, the precision mount easily handles the rigours of competition or hard-use, military type environments.







- ► Precision Mount Data Card Holder Attaches exclusively to the Precision Mount in right or left configurations, and gives shooters a major advantage by its mounting location and ease of use. (7854M)
- ► Universal Data Card Holder Easily attaches to the scope tube, in left or right configurations, for a universal fit. Data is displayed in a convenient location to make quick and accurate target transitions, and the articulating arm allows for low profile storage while not in use. (7855M)
- Precision Mount Level Attaches exclusively to the top of the Precision Mount, in left or right configurations, to keep the scope reticle consistently level. (7852M)
- Universal Scope Mount Level Easily attaches to scope tube, in left or right configurations, to keep the scope reticle level without changing position on the rifle. (USL1, USL30, USL34, USL35)
- ► Precision Mount 0° Accessory Rail Attaches exclusively to the Precision Mount in 0° & 45° configurations. (7850M)
- ► Precision Mount 90° Accessory Rail Attaches exclusively to the Precision Mount in a 90° configuration. (7851M)
- Data Card Label Refill Adhesive labels come in a 50 pack. (7899L)





PART NUMBER	RING HEIGHT	FITS OBJECTIVE SIZE* (GENERAL RANGES)	DIMENSION A	DIMENSION B†	DIMENSION C	DIMENSION D	WEIGHT	MOUNT STYLE
7814M	Medium	Up to 56mm	30mm	1.18"	.813"	3.23"	7.10 oz	Standard, OMOA
7817M	MSR Ideal	Up to 68mm	30mm	1.39"	.813"	3.23"	7.50 oz	Standard, OMOA
7818M	MSR Ideal	Up to 72mm	30mm	1.54"	.813"	3.23"	6.40 oz	Cantilever, OMOA
7818-20MOA	MSR Ideal	Up to 72mm	30mm	1.54"	.813"	3.23"	6.40 oz	Cantilever, 20MOA
7821M	Medium	Up to 56mm	34mm	1.18"	.813"	3.23"	7.10 oz	Standard, OMOA
7824M	MSR Ideal	Up to 64mm	34mm	1.39"	.813"	3.23"	7.50 oz	Standard, OMOA
7825M	MSR Ideal	Up to 72mm	34mm	1.54"	.813"	3.23"	6.40 oz	Cantilever, OMOA
7825-20MOA	MSR Ideal	Up to 72mm	34mm	1.54"	.813"	3.23"	6.40 oz	Cantilever, 20MOA
7841M	Medium	Up to 56mm	35mm	1.18"	.813"	3.23"	7.10 oz	Standard, OMOA
7842M	MSR Ideal	Up to 72mm	35mm	1.54"	.813"	3.23"	6.40 oz	Cantilever, OMOA
7842M-20MOA	MSR Ideal	Up to 72mm	35mm	1.54"	.813"	3.23"	6.40 oz	Cantilever, 20MOA
7844M	MSR Ideal	Up to 64mm	35mm	1.39"	.813"	3.23"	7.50 oz	Standard, OMOA

^{*} All sizes listed are approximate, every firearm and scope set up varies. Calculations are based on a full length Picatinny rail contacting the objective housing.


[†] Measurement is from the top of the rail to the center of the scope tube.

BIPODS

WARNE

SKYLINE PRECISION BIPODS

BIPOD PERFECTION ACHIEVED - The Warne® Skyline™ Precision Bipod is the most functional, ergonomic and strongest bipod on the market today. Designed to attach to your picatinny or ARCA rail, the Skyline™ bipod allows the shooter to make quick, one-handed height adjustments, as well as smooth cant and panning ability for use on uneven terrain or less than ideal positions.



- Quickly attaches to any Picatinny type rail (7901M) or ARCA rail (7902M)
- Rapid deploy legs lock at: 0°, 45°, 90°
- One handed adjustability
- 22° total cant / 44° total pan
- Panning movement can be disabled, allowing only cant
- Design Patent 10,408,555 & 10,794,655



7902M PRECISION BIPOD ARCA RAIL

SKYLINE PRO PRECISION BIPODS



PRO BIPOD - QD Picatinny, Lite Legs	7921M
PRO BIPOD - ARCA Mount, Lite Legs	7922M



PRO BIPOD - QD Picatinny, Precision Legs	7923M
PRO BIPOD - ARCA Mount, Precision Legs	7924M

BIPOD ACCESSORIES



7957M PRECISION BIPOD ARCA ADAPTOR



7954M PRECISION BIPOD ATLAS® FOOT ADAPTOR



ARCA RAIL ADAPTOR FOR ATLAS



7950M PRECISION BIPOD SPIKE FEET



7956M ARCA RAIL ADAPTOR FOR SWIVEL STUD STYLE BIPOD



7951M PRECISION BIPOD CLAW FEET



SLING SWIVEL ADAPTOR Picatinny rail adaptor that mounts to a rifle's existing sling swivel, allowing the use of picatinny style bipods



7952M PRECISION BIPOD EXTENSION LEGS Adds an extra 3 inches (76mm)

TACTICAL MOUNTS

WARNE

MSR 1 PIECE MOUNTS

STYLISH 1 PIECE CANTILEVER MSR MOUNT - Designed to have the "Ideal Height" for Modern Sporting Rifles, the X-SKEL® places the optic at the proper height and forward position on AR platforms. Skeletonized design along with steel hardware and threaded inserts provides a lightweight and rigid mounting platform.







- ► The X-SKEL® Mount is our most popular one piece mounting system used in competition and hunting trips worldwide.
- ► The LR-SKEL Mount offers 20 MOA built-in slope for long range precision shooting. This allows additional elevation adjustment in your optic when shooting ranges over 600 yards.
- The SUPER HIGH X-SKEL® Places optic at correct height for heads up/CQB shooting positions.
- The QD X-SKEL Patent pending dual quick detach levers for fast toolless installation and removal.





PART Number	RING HEIGHT	FITS OBJECTIVE SIZE* (GENERAL RANGES)	DIMENSION A	DIMENSION B †	DIMENSION C	WEIGHT	FINISH COLOUR
XSKEL1	MSR Ideal	Up to 72mm	1"	1.435"	.750"	6.7 oz	Black, Red, Blue, Dark Earth, OD Green, Tactical Grey
XSKEL30	MSR Ideal	Up to 72mm	30mm	1.435"	.750"	6.7 oz	Black, Red, Blue, Dark Earth, OD Green, Tactical Grey
XSKEL34	MSR Ideal	Up to 72mm	34mm	1.435"	.750"	6.7 oz	Black, Red, Blue, Dark Earth, OD Green, Tactical Grey
QDXSKEL1	MSR Ideal	Up to 72mm	1 inch	1.435"	.750"	8.2 oz	Black, Dark Earth
QDXSKEL30	MSR Ideal	Up to 72mm	30mm	1.435"	.750"	8.2 oz	Black, Dark Earth
QDXSKEL34	MSR Ideal	Up to 72mm	34mm	1.435"	.750"	8.5 oz	Black, Dark Earth
LRSKEL1	MSR Ideal (20 MOA)	Up to 72mm	1 inch	1.435"	.750"	6.7 oz	Black, Dark Earth, Tactical Grey
LRSKEL30	MSR Ideal (20 MOA)	Up to 72mm	30mm	1.435"	.750"	6.7 oz	Black, Dark Earth, Tactical Grey
LRSKEL34	MSR Ideal (20 MOA)	Up to 72mm	34mm	1.435"	.750"	6.7 oz	Black, Dark Earth, Tactical Grey
RAMP1	MSR Ideal	Up to 72mm	1 inch	1.435"	.750"	9.5 oz	Black
RAMP30	MSR Ideal	Up to 72mm	30mm	1.435"	.750"	9.5 oz	Black
SHXSKEL30	Super High	Up to 90mm	30mm	1.90"	.750"	7.8 oz	Black, Dark Earth
SHXSKEL34	Super High	Up to 90mm	34mm	1.90"	.750"	7.8 oz	Black, Dark Earth

^{*} All sizes listed are approximate, every firearm and scope set up varies.

[†] Measurement is from the top of the rail to the center of the scope tube.



Combine Part Number with the Available Finish Letter at the end:

TW= Black R= Red B= Blue DE=Dark Earth OD=OD Green TG=Tactical Grey (Example: XSKEL1 + Red= XSKEL1R)













TACTICAL MOUNTS



TACTICAL ACCESSORY MOUNTS

COMPACT 45 DEGREE RAIL - The Warne® A645 is designed as a 45° offset picatinny rail for mounting secondary sighting systems and other accessories.







PART NUMBER	RING HEIGHT
A645TW	Black
A645R	Red
A645BU	Blue
A645DE	Dark Earth
A6450D	OD Green
A645TG	Tactical Grey

KEY FEATURES		BEST USES:		
AL Aluminium Anodised Fielsh CK Cerekote Fielsh	LW	Competition Ts	S LEM LE/Military	



TACTICAL RED DOT MOUNTS

VERSATILE RED DOT RISER - With the increasing number of electro optics being used, finding a compatible mounting system can be confusing. We designed our modular Red Dot Riser to fit a wide range of different optics based on the mount footprint or attachment style. All riser mounts that we offer share a robust mounting base, while the top is engineered specifically for different red dot styles.



PART NUMBER	INTERFACE
6101M	T1-T2 Interface
6102M	Picatinny Rail
6103M	Various RD Footprints

Eotech MRDS
Doctor
CMORE RTS & STS
Vortex Viper/Venom/Razor





AXOR ARMS



BUSHPIG - Lever Release Shotgun



The Bushpig series of lever release shotguns represents a pinnacle of Australian innovation, tailored to the unique demands of the Aussie outback. At its core, the Bushpig introduces a revolutionary dual load system that combines a traditional loading gate with a novel break style loading option, ensuring ease of loading in any situation. Its break action facilitates compact storage and transport, crucial for navigating Australia's vast landscapes.











AXOR ARMS

BUSHPIG - Lever Release Shotgun

















LA322

LA322 CARBINE TAKE DOWN RIFLE







920.433	LA322 CARBINE TAKE DOWN RIFLE	22MAG
920.414	LA322 CARBINE TAKE DOWN RIFLE	22LR

LA322 CARBINE TAKE DOWN RIFLE



LA322 DELUXE TAKE DOWN RIFLE



22LR

CHIAPPA FIREARMS



LA322

LA322 KODIAK CUB TAKE DOWN RIFLE



LA322 KODIAK CUB TAKE DOWN RIFLE

920.426





44 MAG

1892





1892 WILDLANDS TAKE DOWN RIFLE

920.421

1892 WILDLANDS RIFLE



1892 WILDLANDS TAKE DOWN RIFLE



1892 CARBINE TRAPPER SKINNER

Matte Blue

16" Round Barrel

D Style Lever

Skinner Aperture Sights

920.338

1892 CARBINE TRAPPER SKINNER 16" MATTE BLUE

357 MAG
920.340

1892 CARBINE TRAPPER SKINNER 16" MATTE BLUE

44 MAG

NOTE: 1892 Models listed are the models that are currently in production by CHIAPPA FIREARMS.

Any model that has been ommitted does not have a current production date.




1892

1892 TAKE DOWN RIFLE ALASKAN CHROME



1892 TRAPPER CARBINE



1892 ANGLE EJECT TAKE DOWN RIFLE WILDLANDS



NOTE: 1892 Models listed are the models that are currently in production by CHIAPPA FIREARMS.

Any model that has been ommitted does not have a current production date.

131



1886

1886 WILDLANDS TAKE DOWN MHR









1886 RIFLE DELUXE STOCK COLOUR CASE HARDENED





1886

1886 CARBINE COLOUR CASE HARDENED



1886 KODIAK RIFLE CHROME



1886 TAKE DOWN RIFLE RIDGE RUNNER



1886 TAKE DOWN RIFLE CLASSIC COLOUR CASE HARDENED

920.363



920.364 1886 TD RIFLE DELUXE STOCK COLOUR CASE HARDENED 45-70 GOVT

1886 TAKE DOWN RIFLE RIDGE RUNNER 18.5" MATTE BLUE

45-70 GOVT



LITTLE BADGER

LITTLE BADGER RIFLE TAKE DOWN XTREME





LITTLE BADGER FOLDING RIFLE - BLACK 16.5" & 18.5"





LITTLE BADGER

LITTLE BADGER FOLDING RIFLE - OD GREEN - 18.5"



LITTLE BADGER DELUXE FOLDING RIFLE - BLACK - 16.5"



LITTLE BADGER DELUXE FOLDING SHOTGUN - 24"



LITTLE SQUIRREL SHOTGUN - 24" & 18.5





DOUBLE BADGER

DOUBLE BADGER DARK FOLDING SHOTGUN / RIFLE



DOUBLE BADGER COMBINATION FOLDING SHOTGUN/RIFLE





CHIAPPA°

M6

M6 COMBINATION FOLDING SHOTGUN/ RIFLE







1887

1887 LEVER-ACTION SHOTGUN



930.000	1887 SHOTGUN - 22"	12GA - 2¾"
930.001	1887 SHOTGUN - 28"	12GA - 2¾"
930.004	1887 SHOTGUN - 22" FAST LOAD, 2 ROUND	12GA - 23/4"

LITTLE SHARPS

LITTLE SHARPS RIFLE 24" COLOUR CASE - 24" & 26"



920.187	LITTLE SHARPS RIFLE 24"	22 MAG
920.188	LITTLE SHARPS RIFLE 24"	22 LR
920.189	LITTLE SHARPS RIFLE 26"	45 LONG COLT
920.190	LITTLE SHARPS RIFLE 26"	44-40 WIN
920.191	LITTLE SHARPS RIFLE 26"	38-55 WIN
920.192	LITTLE SHARPS RIFLE 26"	357 MAG
920.194	LITTLE SHARPS RIFLE 26"	44 MAG
920.192	LITTLE SHARPS RIFLE 26"	22 HORNET
920.194	LITTLE SHARPS RIFLE 26"	30-30 WIN



SPENCER

1860 SPENCER RIFLE COLOUR CASE HARDENED 30"



920.081	1860 SPENCER RIFLE - 30"	44-40 WIN
920.085	1860 SPENCER RIFLE - 30"	45 LONG COLT
920.061	1860 SPENCER RIFLE - 30"	56-50 SPENCER

1860 SPENCER CARBINE COLOUR CASE HARDENED 20"



920.062	1860 SPENCER CARBINE - 20"	44-40 WIN
920.084	1860 SPENCER CARBINE - 20"	45 LONG COLT
920.021	1860 SPENCER CARBINE - 20"	56-50 SPENCER

SHARPS

1863 SHARPS CAVALRY NEW MODEL RIFLE



1874 SHARPS DELUXE SPORTING RIFLE





SHARPS

1874 SHARPS BERDAN RIFLE - 30"



920.016 1874 SHARPS BERDAN RIFLE - 30" 45-70 GOVT

1863 SHARPS CAVALRY NEW MODEL RIFLE - 22"



920.344	1863 SHARPS CAVALRY NEW MODEL RIFLE - 22"	50-70 GOVT
910.014	1859 SHARPS CAVALRY RIFLE W/ PATCHBOX - 22"	54 CAL
910.015	1859 SHARPS CAVALRY RIFLE - 22"	54 CAL
910.016	1859 SHARPS INFANTRY RIFLE - 30"	54 CAL

1859 SHARPS SPORTING RIFLE - 30"







SHARPS

1874 SHARPS SPORTING RIFLE - 32"









PISTOLS

FAS 6007 PISTOL



- ► 5.5" Barrel
- ► 5 Round Magazine Capacity
- ► Fully Adjustable Trigger Position, Weight, & Pre-Run
- ► Adjustable Walnut Grips
- ► Fully Adjustable Rear Sight Window, Windage, and Elevation
- ► Adjustable Weight & Balance

401.114 FAS 6007 PISTOL WALNUT RIGHT HANDED ADJUSTABLE GRIP 22

22LR

PISTOLS - RHINO REVOLVER

CHARGING RHINO 60DS



340.271 CHARGING RHINO 60 DS 9mm LUGER

CHARGING RHINO 60DS GEN. II



RHINO REVOLVER 60DS CHARGING RHINO 9mm LUGER

RHINO GODS MATCH MASTER



RHINO REVOLVER GODS MATCH MASTER 38 SP

RHINO GODS NEBULA



RHINO 60DS HUNTER



340.282 RHINO REVOLVER 60DS HUNTER 357 MAG

RHINO 60DS GOLD



340.225 RHINO REVOLVER 60DS GOLD 357 MAG

RHINO 40DS BLACK



340.219	RHINO REVOLVER 40DS BLACK	357 MAG
340 165	RHIND REVOLVER ANDS BLACK	9mm LIIGER

RHINO 50DS BLACK



340.220	RHINO REVOLVER 50DS BLACK	357 MAG
340.245	RHINO REVOLVER 50DS BLACK	9mm LUGER

PISTOLS - RHINO REVOLVER

RHINO GODS STORMHUNTER

- ► White 6" Barrel
- ► Fibre Front Sight
- ► Adjustable Rear Sight
- ► Medium Black Walnut Grip
- ► 3 Moon Clips
- ► 6 Round Capacity

340.334 RHINO REVOLVER 60DS STORMHUNTER 357MAG







RHINO 40DS NICKEL



► 3 Moon Clips

► 6 Round Capacity

RHINO 50DS NICKEL



RHINO REVOLVER 50DS NICKEL

► Fibre Front Sight, Adjustable Rear Sight

► 3 Moon Clips

► 6 Round Capacity

357 MAG

RHINO 60DS NICKEL

340.222 RHINO REVOLVER 40DS NICKEL



357 MAG 340.224 RHINO REVOLVER 60DS NICKEL

RHINO GODS BLACK



340.167	RHINO REVOLVER 60DS BLACK	9mm LUGER
340.221	RHINO REVOLVER 60DS BLACK	357 MAG

357 MAG

CHIAPPA

PISTOLS - 1873

1873 REVOLVER SAA TACTICAL GREY



340.332 1873 REVOLVER SAA TACTICAL GREY

22LR

1873 REVOLVER S.A. 17 BLACK



CF340.261 1873 REVOLVER S.A. 17 BLACK

17HMR

1873 REVOLVER S.A 4.75"



340.250	1873 REVOLVER S.A 4.75"	22LR
CF340.250D	1873 REVOLVER S.A 4.75" DUAL CYLINDER	22LR/ 22MAG

1873 REVOLVER S.A. 4.75" ANTIQUE



340.089 1873 REVOLVER S.A. 4.75" ANTIQUE 22LR

1873 REVOLVER S.A. 4.75" BLACK



340.053 1873 REVOLVER S.A. 4.75" BLACK 22LR

1873 REVOLVER S.A. 22-10 4.75"



CHIAPPA[®]

PISTOLS - 1873

1873 REVOLVER S.A. 22-10 5.5"



340.160	1873 REVOLVER S.A. 22-10 5.5"	22LR
340.160D	1873 REVOLVER S.A. 22-10 5.5" DUAL CYLINDER	22LR/ 22MAG

1873 REVOLVER S.A. 22-10 TARGET 7.5"



340.170	1873 REVOLVER S.A. 22-10 TARGET 7.5"	22LR
CF340.170D	1873 REVOLVER S.A. 22-10 TARGET 7.5" Dual cylinder	22LR/ 22MAG

1873 REVOLVER S.A. 7.5" BLUED



1873 REVOLVER SAA BUNTLINE BLUED 12"



340.241	1873 REVOLVER SAA BUNTLINE 12"	22LR
CF340.241D	1873 REVOLVER SAA BUNTLINE 12" Dual Cylinder	22LR/ 22MAG



PISTOLS - 1911-22

1911 PISTOL TACTICAL DARK GREY



401.143 1911 PISTOL TACTICAL DARK GRAY

22LR

1911 PISTOL FULL TAN 5" HOGUE



401.120 1911 PISTOL FULL TAN 5" HOGUE

22LR

1911 PISTOL FULL OD GREEN 5" HOGUE



401.121 1911 PISTOL FULL OD GREEN 5" HOGUE 22LR

1911 PISTOL EUROPE/USA 5" BLACK



401.038 1911 PISTOL EUROPE/USA 5" BLACK

22LR

1911 PISTOL CUSTOM 5" BLACK



401.101 1911 PISTOL CUSTOM 5" BLACK **22LR**

1911 TARGET PISTOL BLACK 5"



► 2 x 10 Round Magazines

► Accessory Rail

401.105 1911 TARGET PISTOL Black 5"

22LR

CHIAPPA®

PISTOLS - 1911

1911 EMPIRE GRADE PISTOL BLACK 5"



440.152	1911 EMPIRE GRADE PISTOL BLACK 5"	9mm LUGER
440.151	1911 EMPIRE GRADE PISTOL BLACK 5"	45 ACP

1911 EMPIRE GRADE PISTOL CHROME 5"



440.163	1911 EMPIRE GRADE PISTOL CHROME 5"	9mm LUGER
440.154	1911 EMPIRE GRADE PISTOL CHROME 5"	45 ACP

1911 SUPERIOR GRADE PISTOL BLACK 5"

► 5" Barrel Fibre Optic Sights Diamond Checkered Walnut Grips 2 x 8 Round Mag - 45 ACP 2 x 10 Round Mag - 9mm Luger

440.155	1911 SUPERIOR GRADE PISTOL BLACK 5"	45 ACP
440.156	1911 SUPERIOR GRADE PISTOL BLACK 5"	9mm LUGER

1911 FIELD GRADE PISTOL BLACK 5"

1911 FIELD GRADE PISTOL BLACK 5"

440.159

440.160

1911 SUPERIOR GRADE PISTOL CHROME 5"



440.158	1911 SUPERIOR GRADE PISTOL CHROME 5"	45 ACP
440.165	1911 SUPERIOR GRADE PISTOL CHROME 5"	9mm LUGER

1911 FIELD GRADE PISTOL BLACK 5"





45 ACP

9mm Luger



MODEL 307™

307 ALPINE MDT FIXED STOCK



PROFILE

- ► Fluted Barrel Graphite Black Cerakote
- ► Trigger Guard / Receiver Graphite Black
- ► Bolt / Bolt Knob Graphite Black Cerakote
- ► Stock MDT HNT26 Chassis System

FEATURES

- ► Triggertech Trigger
- ► 54° Bolt Throw
- ► Spiral Fluted Barrel
- ► Accubrake
- ► Guaranteed Sub-MOA accuracy

AVAILABLE SKUS					
7MM REM, 28"	3WAMF7MMRR8B	308 WIN, 24"	3WAMF308NR4B	300 WIN,, 24"	3WAMF300NR8B
6.5 CMR, 24"	3WAMF65CMR4B	30-06 SPRG, 26"	3WAMF306SR6B	243 WIN, 24"	3WAMF243NR4B

307 ALPINE MDT FOLDING STOCK



- ► Fluted Barrel Graphite Black Cerakote
- ► Trigger Guard / Receiver Graphite Black
- ► Bolt / Bolt Knob Graphite Black Cerakote
- ► Stock MDT HNT26 Chassis System

FEATURES

- ► Triggertech Trigger
- ► 54° Bolt Throw
- ► Spiral Fluted Barrel
- ► Accubrake
- ► Guaranteed Sub-MOA accuracy

AVAILABLE SKUS					
240 WBY, 26"	3WAMH240WR6B	300 WIN, 28"	3WAMH300NR8B	6.5-300 WBY, 28"	3WAMH653WR8B
243 WIN, 24"	3WAMH243NR4B	300 PRC, 28"	3WAMH300PR8B	6.5 CMR, 24"	3WAMH65CMR4B
257 WBY, 28"	3WAMH257WR8B	300 WBY, 28"	3WAMH300WR8B	6.5 WBY RPM, 26"	3WAMH65RWR6B
270 WBY, 28"	3WAMH270WR8B	308 WIN, 24"	3WAMH308NR4B	7MM REM, 28"	3WAMH7MMRR8B
280 ΔCKI FY 26"	3WAMH28NAR6R				

307 ALPINE CT



- ► Carbon Barrel BSF Carbon Barrel
- ► Receiver / Accubrake DST Chocolate Brown Cerakote
- ► Bolt / Bolt Knob Graphite Black Cerakote
- ► Stock Exposed carbon fibre with WYO brown & backpack brushed sponge pattern accents.
- ► TriggerTech Trigger
- ► Tool-Less Bolt Takedown
- ► BSF carbon fibre barrel
- ► Accubrake DST[™]
- ► Guaranteed Sub-MOA accuracy

AVAILABLE SKUS					
240 WBY, 24"	3WACT240WR4B	6.5 CMR, 24"	3WACT65CMR4B	308 WIN, 22"	3WACT308NR2B
243 WIN, 24"	3WACT243NR4B	6.5 PRC, 24"	3WACT65PPR4B	300 WIN, 24"	3WACT300NR4B
257 WBY, 26"	3WACT257WR6B	6.5-300 WBY, 28"	3WACT653WR8B	300 WBY, 26"	3WACT300WR6B
280 AI, 24"	3WACT280AR4B	6.5 WBY RPM, 24"	3WACT65RWR4B	300 PRC, 24"	3WACT300PR4B
28 NOSLER, 24"	3WACT28NOR4B	7MM PRC, 24"	3WACT7MMPR4B		



MODEL 307™

307 RANGE XP



- ► Fluted Barrel Graphite Black Cerakote
- ► Trigger Guard / Receiver Graphite Black
- ► Bolt / Bolt Knob Graphite Black Cerakote

- ► TriggerTech trigger
- ► 54° bolt throw
- ► Spiral fluted barrel
- ► Accubrake
- ► Guaranteed Sub-MOA accuracy

AVAILABLE SKUS					
240 WBY, 26"	3WRXP240WR6B	6.5 WBY RPM, 26"	3WRXP65RWR6B	7MM REM, 28"	3WRXP7MMRR8B
243 WIN, 24"	3WRXP243NR4B	270 WIN, 26"	3WRXP270NR6B	308 WIN, 24"	3WRXP308NR4B
257 WBY, 28"	3WRXP257WR8B	280 AI, 26"	3WRXP280AR6B	30-06 SPRG, 26"	3WRXP306SR6B
6.5 CMR, 24"	3WRXP65CMR4B	7MM PRC, 24"	3WRXP7MMPR4B	300 WIN, 28"	3WRXP300NR8B

307 ADVENTURE SD



- ► Bolt / Bolt Knob Graphite Black Cerakote
- ► Stock Fancy walnut stock with rosewood forend & grip cap with maple diamond inlay & spacers
- ► Tool-Less Bolt Takedown
- ► Accubrake
- ► Guaranteed Sub-MOA accuracy

AVAILABLE SKUS					
7MM PRC, 26"	3WASD7MMPR6B	6.5 RPM, 26"	3WASD65RWR6B	257 WBY, 28"	3WASD257WR8B
30-06 SPRG, 26"	3WASD306SR6B	6.5-300 WBY, 28"	3WASD653WR8B	270 WBY, 28"	3WASD270WR8B
300 WBY, 28"	3WASD300WR8B	240 WBY, 26"	3WASD240WR6B	270 WIN, 26"	3WASD270NR6B

307 MEATEATER EDITION





- ► Trigger Guard / Receiver Graphite Black
- ► Bolt / Bolt Knob Graphite Black Cerakote
- ► Stock Light Tan with Green & Brown sponge accents and Graphite ► Accubrake **Black Cheek Piece**
- ► TriggerTech trigger
- ► 54° bolt throw
- ► Spiral fluted barrel

 - ► Guaranteed Sub-MOA accuracy

AVAILABLE SKUS					
6.5 CMR, 22"	3WRME65CMR4B	7MM REM, 26"	3WRME7MMRR8B	308 WIN, 22"	3WRME308NR4B
6.5 RPM, 24"	3WRME65RWR6B	7MM PRC, 22"	3WRME7MMPR4B	300 WIN, 26"	3WRME300NR8B



MARK V®

MARK V® BACKCOUNTRY™ 2.0



*Barrel length includes 2" Accubrake

PROFILE

- \blacktriangleright Peak 44 Blacktooth carbon fibre with dark green and brown sponge pattern accents
- ► Fluted barrel / trigger guard / receiver Patriot Brown Cerakote, #1 MOD, #2 MOD, or #3 contour (depending on chambering)
- ▶ Bolt / bolt knob / safety Graphite Black Cerakote.

FEATURES

- ► TriggerTech trigger
- ► 54° bolt throw
- ► Deep spiral fluted bolt
- ► Accubrake ST
- ► Sub-MOA accuracy guarantee.

AVAILABLE SKUS					
240 WBY, 26"	MBC20N240WR6B	6.5 CMR, 24"	MBC20N65CMR4B	LH 280 AI, 26"	MBC20N280AL6B
243 WIN, 24"	MBC20N243NR4B	6.5 WBY RPM, 26"	MBC20N65RWR6B	LH 300 WBY, 28"	MBC20N300WL8B
257 WBY, 28"	MBC20N257WR8B	6.5-300 WBY 28"	MBC20N653WR8B	LH 308 WIN, 24"	MBC20N308NL4B
270 WBY, 28"	MBC20N270WR8B	LH 240 WBY, 26"	MBC20N240WL6B	LH 338 WBY RPM, 20"	MBC20N338WL0B
280 AI, 26"	MBC20N280AR6B	LH 243 WIN, 24"	MBC20N243NL4B	LH 6.5 CMR, 24"	MBC20N65CML4B
300 WBY, 28"	MBC20N300WR8B	LH 257 WBY, 28"	MBC20N257WL8B	LH 6.5 WBY RPM, 26"	MBC20N65RWL6B
308 WIN, 24"	MBC20N308NR4B	LH 270 WBY, 28"	MBC20N270WL8B	LH 6.5-300 WBY, 28"	MBC20N653WL8B
338 WBY RPM, 20"	MBC20N338WR0B				

MARK V® BACKCOUNTRY™ 2.0 Ti



*Barrel length includes 2" Accubrake

PROFILE

- Peak 44 Blacktooth carbon fibre stock with grey and white sponge pattern accents
- ► Fluted barrel / trigger guard / bolt / bolt knob / safety Graphite Black Cerakote, #1 MOD, #2 MOD, or #3 contour (depending on chambering).

FEATURES

- ► TriggerTech trigger
- ► 54° bolt throw
- ► Deep spiral fluted bolt
- ► Accubrake ST
- ► Sub-MOA accuracy guarantee.

AVAILABLE SKUS					
240 WBY, 26"	MBT20N240WR6B	6.5-300 WBY, 28"	MBT20N653WR8B	LH 280 AI, 26"	MBT20N280AL6B
243 WIN, 24"	MBT20N243NR4B	6.5 CMR, 24"	MBT20N65CMR4B	LH 300 WBY, 28"	MBT20N300WL8B
257 WBY, 28"	MBT20N257WR8B	6.5 WBY RPM, 26"	MBT20N65RWR6B	LH 308 WIN, 24"	MBT20N308NL4B
270 WBY, 28"	MBT20N270WR8B	LH 240 WBY, 26"	MBT20N240WL6B	LH 6.5 CMR, 24"	MBT20N65CML4B
280 AI, 26"	MBT20N280AR6B	LH 243 WIN, 24"	MBT20N243NL4B	LH 6.5 WBY RPM, 26"	MBT20N65RWL6B
300 WBY, 28"	MBT20N300WR8B	LH 257 WBY, 28"	MBT20N257WL8B	LH 6.5-300 WBY, 28"	MBT20N653WL8B
308 WIN, 24"	MBT20N308NR4B	LH 270 WBY, 28"	MBT20N270WL8B	LH 338 WBY RPM, 20"	MBT20N338WL0B
338 WBY RPM, 20"	MBT20N338WR0B				



MARK V®

MARK V® BACKCOUNTRY™ 2.0 CARBON



- ▶ Peak 44 Blacktooth carbon fibre stock with dark green and brown sponge pattern accents
- ► Lightweight, fast-cooling carbon fibre barrel, #4 contour
- ► Trigger guard / receiver Patriot Brown Cerakote
- ► Bolt / bolt knob / safety Graphite Black Cerakote.

FEATURES

- ► TriggerTech trigger
- ► 54° bolt throw
- ► Deep spiral fluted bolt
- ► Accubrake ST
- ► Sub-MOA accuracy guarantee.

AVAILABLE SKUS						
240 WBY, 24"	MCB20N240WR4B	6.5 CMR, 24"	MCB20N65CMR4B	LH 300 WBY, 28"	MCB20N300WL8B	
243 WIN, 24"	MCB20N243NR4B	6.5 WBY RPM, 26"	MCB20N65RWR6B	LH 30-378 WBY, 28"	MCB20N303WL8B	
257 WBY, 28"	MCB20N257WR8B	6.5-300 WBY, 28"	MCB20N653WR8B	LH 338 WBY RPM, 22"	MCB20N338WL2B	
300 WBY, 28"	MCB20N300WR8B	LH 240 WBY, 24"	MCB20N240WL4B	LH 6.5 CMR, 24"	MCB20N65CML4B	
30-378 WBY, 28"	MCB20N303WR8B	LH 243 WIN, 24"	MCB20N243NL4B	LH 6.5 WBY RPM, 26"	MCB20N65RWL6B	
338 WBY RPM, 22"	MCB20N338WR2B	LH 257 WBY, 28"	MCB20N257WL8B	LH 6.5-300 WBY, 28"	MCB20N653WL8B	

MARK V® BACKCOUNTRY™ 2.0 Ti CARBON



- ▶ Peak 44 Blacktooth carbon fibre stock with dark green and brown sponge pattern accents
- ► Lightweight, fast-cooling carbon fibre barrel, #4 contour
- ► Trigger guard / receiver Patriot Brown Cerakote
- ▶ Bolt / bolt knob / safety Graphite Black Cerakote.

FEATURES

- ► TriggerTech trigger
- ► 54° bolt throw
- ► Deep spiral fluted bolt
- ► Accubrake ST
- ► Sub-MOA accuracy guarantee.

AVAILABLE SKUS						
240 WBY, 24"	MCT20N240WR4B	6.5 WBY RPM, 26"	MCT20N65RWR6B	LH 300 WBY, 28"	MCT20N300WL8B	
243 WIN, 24"	MCT20N243NR4B	6.5-300 WBY, 28"	MCT20N653WR8B	LH 338 WBY RPM, 22"	MCT20N338WL2B	
257 WBY, 28"	MCT20N257WR8B	LH 240 WBY, 24"	MCT20N240WL4B	LH 6.5 CMR, 24"	MCT20N65CML4B	
300 WBY, 28"	MCT20N300WR8B	LH 243 WIN, 24"	MCT20N243NL4B	LH 6.5 WBY RPM, 26"	MCT20N65RWL6B	
338 WBY RPM, 22"	MCT20N338WR2B	LH 257 WBY, 28"	MCT20N257WL8B	LH 6.5-300 WBY, 28"	MCT20N653WL8B	
6.5 CMR, 24"	MCT20N65CMR4B					

WEATHERBY

MARK V®

MARK V® CAMILLA™ DELUXE



finish. #1 contour ► Stock is designed to match and fit the female frame.

- ► 54° bolt throw
- ► Accubrake ST
- ► Sub-MOA accuracy guarantee.

► Sub-MOA accuracy guarantee.

AVAILABLE SKUS					
240 WBY, 26"	MCD01N240WR6B	280 AI, 26"	MCD01N280AR6B	6.5 WBY RPM, 26"	MCD01N65RWR6B
243 WIN, 24"	MCD01N243NR4B	6.5 CMR, 24"	MCD01N65CMR4B		

MARK V® CAMILLA™ ULTRA LIGHTWEIGHT



AVAILABLE SKUS							
6.5 CMR, 24"	MCU03N65CMR4B	243 WIN, 24"	MCU03N243NR4B	280 AI, 26"	MCU03N280AR6B		
6.5 WBY RPM, 26"	MCU03N65RWR6B	240 WBY, 26"	MCU03N240WR6B				

MARK V® CARBONMARK



AVAILABLE SKUS							
6.5 CMR, 24"	MCM01N65CMR4B	6.5-300 WBY, 28"	MCM01N653WR8B	LH 257 WBY, 28"	MCM01N257WL8B		
6.5 WBY RPM, 26"	MCM01N65RWR6B	300 WBY, 28"	MCM01N300WR8B	LH 6.5-300 WBY, 28"	MCM01N653WL8B		
257 WBY, 28"	MCM01N257WR8B	338 WBY RPM, 26"	MCM01N338WR6B	LH 300 WBY, 28"	MCM01N300WL8B		

► Bolt / bolt knob / safety - Graphite Black Cerakote.



MARK V®

HIGH COUNTRY



- **Graphite Black Cerakote**
- ► Stock Exposed Carbon fibre with WYO brown and backpack sponge pattern accents
- ► Spiral fluted barrel
- ► Accubrake ST
- ► Guaranteed Sub-MOA accuracy

|--|

7 PRC 26IN W/BRAKE MHC01N7MMPR6B 300 PRC 28IN MHC01N300PR8B 308 WIN 24IN MHC01N308NR4B

MARK V® DANGEROUS GAME



- ► Tan, hand-laid, raised Monte Carlo fibreglass stock with matte gel coat finish and black spiderweb accents
- ▶ Barrel / receiver / bolt knob / safety / trigger guard- Graphite Black Cerakote, #2, #3, or #4 contour, depending on chambering.
- ► TriggerTech trigger
- ► 54° bolt throw
- ► Accubrake ST
- Sub-MOA accuracy guarantee.

AVAILABLE SKUS							
300 WBY, 26"	MDG01N300WR6B	375 WBY, 26"	MDG01N375WR6B	416 WBY, 26"	MDG01N416WR6B		
340 WBY, 26"	MDG01N340WR6B	378 WBY, 26"	MDG01N378WR6B	460 WBY, 26"	MDG01N460WR6B		
375 H&H, 26"	MDG01N375HR6B						

MARK V® DELUXE



- ► Barrel / trigger guard / bolt knob High gloss, bead blasted, blued finish barrel #1, #2, #3, or #4 contour (depending on chambering).
- ► 54° bolt throw
- ► Accubrake ST (depending on chambering)
- ► Sub-MOA accuracy guarantee.

AVAILABLE SKUS					
240 WBY, 24"	MDX01N240WR40	30-378 WBY, 28"*	MDX01N303WR8B	460 WBY, 28"*	MDX01N460WR8B
243 WIN, 22"	MDX01N243NR20	338-378 WBY, 28"*	MDX01N333WR8B	6.5-300 WBY, 26"	MDX01N653WR60
257 WBY, 26"	MDX01N257WR60	340 WBY, 28"*	MDX01N340WR8B	6.5 CMR, 22"	MDX01N65CMR20
270 WBY, 26"	MDX01N270WR60	378 WBY, 28"*	MDX01N378WR8B	6.5 WBY RPM, 24"	MDX01N65RWR40
300 WBY, 26"	MDX01N300WR60	416 WBY, 28"*	MDX01N416WR8B	7MM WBY, 26"	MDX01N7MMWR60



MARK V®

MARK V® LIVE WILD ™



- ► Spiral Fluted Barrel Carbon Grey Cerakote
- ► Trigger Guard / Receiver Carbon Grey Cerakote
- ► Bolt / Bolt Knob / Safety Graphite Black Cerakote
- ► Stock Black and grey sponge pattern accents

- ► TriggerTech trigger
- ► 54° bolt
- ► Accubrake ST
- ► Sub-MOA accuracy guarantee
- ► Removable bolt knob

AVAILABLE SKUS					
240 WBY, 26"	MLW01N240WR6B	300 WIN, 28"	MLW01N300NR8B	7MM-08 REM, 24"	MLW01N7M8RR4B
243 WIN, 24"	MLW01N243NR4B	300 WBY, 28"	MLW01N300WR8B	7MM REM, 28"	MLW01N7MMRR8B
25-06 REM, 26"	MLW01N256RR6B	30-06 SPRG, 26"	MLW01N306SR6B	7MM WBY, 28"	MLW01N7MMWR8B
257 WBY, 28"	MLW01N257WR8B	308 WIN, 24"	MLW01N308NR4B	7MM PRC, 26"	MLW01N7MMPR6B
270 WIN, 28"	MLW01N270NR6B	6.5-300 WBY, 28"	MLW01N653WR8B	300 PRC, 28"	MLW01N300PR8B
270 WBY, 28"	MLW01N270WR8B	6.5 CMR, 24"	MLW01N65CMR4B	28 NOSLER, 28"	MLW01N28NOR8B
280 AI, 26"	MLW01N280AR6B	6.5 WBY RPM, 26"	MLW01N65RWR6B		





VANGUARD





RUFILE

- ► Turkish "A" walnut stock, satin finish
- ► Stock is designed to match and fit the female frame.

► Matte, bead blasted, blued finish barrel, #1 contour

FEATURES

- ► 3-Position safety
- ► Cold hammer forged barrel
- ► Sub-MOA accuracy guarantee.

AVAILABLE SKUS					
223 REM, 20"	VWR223RRØ0	243 WIN, 20"	VWR243NRØO	7MM-08 REM, 20"	VWR7M8RRØ0
22-250 REM, 20"	VWR222RRØ0	6.5 CMR, 20"	VWR65CMRØO	308 WIN, 20"	VWR308NRØO

VANGUARD® MEATEATER



► Tungsten Cerakote finish and barrel, spiral fluted, #2 contour.

► Sub-MOA accuracy guarantee.

AVAILABLE SKUS							
257 WBY, 26"	VMA257WR6T	7MM REM, 26"	VMA7MMRR6T	30-06 SPRG, 24"	VMA306SR4T		
6.5-300 WBY, 26"	VMA653WR6T	243 WIN, 24"	VMA243NR4T	270 WIN, 24"	VMA270NR4T		
300 WBY, 26"	VMA300WR6T	308 WIN, 24"	VMA308NR4T	6.5 PRC, 24"	VMA65PPR4T		
6.5 CREEDMOOR, 24"	VMA65CMR4T	300 WIN, 26"	VMA300NR6T				

VANGUARD COMPACT HUNTER WITH BRAKE



AVAILABLE SKUS					
223 REM 22"	VYH223RR2B	243 WIN 22"	VYH243NR2B	308 WIN 22"	VYH308NR2B

WEATHERBY

VANGUARD

VANGUARD® BLUED SYNTHETIC



AVAILABLE SKUS

223 BLUED SYN 24" VGK223RR40 243 BLUED SYN 24" VGK243NR40 308 BLUED SYN 24" VGK308NR40



VANGUARD® VARMINT BLUED



AVAILABLE SKUS

223 BLUED 20" VBB223RR0T








FIOCCHI AMMUNITION has a long and rich history that dates back to the late 19th century. Founded in 1876 by Giulio Fiocchi, the company started out as a small family-run business in Italy. Over the years, Fiocchi has grown to become one of the world's leading ammunition manufacturers, with a global presence and reputation for accuracy and performance.

Fiocchi is known for its premium precision ammunition for hunters and backcountry shooters around the world. Fiocchi is at the forefront of innovation in ammunition technology, pioneering new designs and manufacturing processes to ensure their products are always ahead of the curve. Today, Fiocchi's commitment to quality remains unchanged from their founding days, making them an industry leader in ammunition production.



FIOCCHI

223 REMINGTON

223 REMINGTON - BALLISTIC TIP

223 REM 50GR EPN POLYMER TIP	3280 FPS	50 PK	70562900
223 REM 55GR EPN POLYMER TIP	3215 FPS	50 PK	70563500
223 REM 60GR EPN POLYMER TIP	3020 FPS	50 PK	70565700



70565700

70562900

223 REMINGTON - SPORTING

223 REM 55GR SOFT POINT	3230 FPS	50 PK	70563200
223 REM 50GR HOLLOW POINT	3410 FPS	50 PK	70555900





222 REMINGTON

222 REM 50GR EPN VMAX	3084 FPS	50PK	70222100
-----------------------	----------	------	----------



243 WINCHESTER

243 WIN 100GR SP	2788 FPS	20PK	70243100
243 WIN 95GR SST POLYMER TIP	2952 FPS	20PK	70243200



70222100

70243100

270 WINCHESTER

270 WIN 130GR SP	2854 FPS	20PK	70270100
270 WIN 130GR SST	2952 FPS	20PK	70270200





70270200

308 WINCHESTER

308 WIN 150GR SP	2788 FPS	20PK	70991400
308 WIN 180GR SP	2559 FPS	20PK	70991100



70991400

308 WINCHESTER EXACTA MATCH

308 WIN 175GR HPBT	2624 FPS	20PK	70988900
308 WIN 168GR HPBT	2624 FPS	20PK	70989000



70988900

308 WINCHESTER SST

308 WIN 150GR EPN	2788 FPS	20PK	70991200
308 WIN 180GR EPN	2493 FPS	20PK	70991300



70991200

30-06 SPRINGFIELD

30-06 150GR SP	2855 FPS	20PK	70300100
30-06 180GR SP	2706 FPS	20PK	70300200
30-06 180GR SST	2706 FPS	20PK	70300300
30-06 150GR SST	2855 FPS	20PK	70300400





338 LAPUA

FIOCCHI 338 I AP 300GR SMK	10PK	70987900



9MM LUGER - TARGET LOAD

9MM LUGER 115GR FMJ	1250 FPS	50 PK	70935300
9MM LUGER 124GR FMJ	1230 FPS	50 PK	70911200



70935300

9MM LUGER - TARGET LEAD FREE

9MM LUGER 124GR RNCP LEAD FREE PRIMER	1150 FPS	50 PK	71938300
9MM LUGER 123GR LRN GAS CHECK LEAD FREE PRIMER	1230 FPS	50 PK	71901600



70901600

9MM LUGER - SPECIALITY

9MM BLANK STAR CRIMP	N/A	50 PK	73938500
9MM DUTY ZP LEAD FREE	1345 FPS	50 PK	70941300



70941300

357 MAGNUM

357 MAG 158GR SJSP	1280 FPS	50PK	70357000
357 MAG 125GR SJSP	1575 FPS	50PK	70357300



70357000

38 SUPER

38 SUPER AUTO FMJ 129GR 1200 FPS 50PK 70908000)
--	---



38 SPECIAL

38 SPECIAL 158GR FMJ	1020 FPS	50PK	70039000
38 SPECIAL 158GR SJSP	985 FPS	50PK	70039300
38 SPECIAL LRN 158GR GZN	900 FPS	50PK	71039600
38 SPECIAL WAD-CUTTER 148GR GZG LWC	655 FPS	50PK	71039100





71039100



44 REMINGTON MAGNUM

44 MAG 200GR LSWC GZN	1280 FPS	50PK	71044500
44 MAG 240GR SJSP	1460 FPS	50PK	70044500





22 LONG RIFLE

22LR 40GR ULTRASONIC	1245 FPS	500 BRICK	30236000
22LR 40GR OFFICIAL	1050 FPS	500 BRICK	30260200
22LR 40GR F300	984 FPS	500 BRICK	30260300
22LR OFFICIAL RAPID FIRE 280	920FPS	500 BRICK	30260700
22LR TT RAPID FIRE	920 FPS	500 BRICK	30260800



.410 (36 GAUGE)

· · · · · · · · · · · · · · · · · · ·				
410GA 2-1/2" #7	11g	1280FPS	25PK	87022700
410GA 3" #7.5	18g	1312FPS	25PK	86463700
410GA 3" #6	18g	1312FPS	25PK	87080600
410GA 2-1/2" #6	11g	1280FPS	25PK	87022600
410GA 2-1/2" 8g SLUG	8 g	1690FPS	25PK	87088300
410GA 3" #4	18g	1312FPS	25PK	87080400
410GA SILENT 2" #9	18g	935FPS	25PK	87032900
410GA SILENT 2" #11	18g	935FPS	25PK	87033100
410GA SILENT 3" #8	25g	870FPS	25PK	87108800
410GA SILENT 3" #9	25g	870FPS	25PK	87108900
410GA SILENT 3" #11	25g	870FPS	25PK	87109100



12 GAUGE

12GA RIFLED SLUG	28g	1312 FPS	25PK	86288000
12GA #00 BUCKSHOT	33g	1360 FPS	10PK	87090400
12GA SSSG BUCKSHOT	37g	1330 FPS	10PK	87090200
12GA #0 (BB)	34g	1375 FPS	25PK	87062000
12GA BB	42g	1325 FPS	10PK	87A06300
12GA #2	34g	1375 FPS	25PK	87062200
12GA #4	34g	1375 FPS	25PK	87062400
12GA #6	34g	1375 FPS	25PK	87062600



12 GAUGE TARGET LOAD

12GA TT ONE #7.5	28g	1300 FPS	250 SLAB	86198700
12GA TT TWO #7.5	28g	1330 FPS	250 SLAB	86221700
12GA GOLDEN SKEET #9 (EU SHOT #9.5)	24g	1395 FPS	250 SLAB	86255900
12GA GOLDEN TRAP #7.5	24g	1360 FPS	250 SLAB	86237700
12GA OFFICIAL #7.5	24g	1360 FPS	250 SLAB	86241700



MERCHANDISE

FIOCCHI CAP OLIVE	FIOCCHICAP
FIOCCHI CORFLUTE SIGN	FIOCCHISIGN





UNPRIMED BRASS

224 WBY MAG UPB	20 COUNT	BRASS224
240 WBY MAG UPB	20 COUNT	BRASS240
257 WBY MAG UPB	20 COUNT	BRASS257
6.5-300 WBY MAG UPB	20 COUNT	BRASS653
7MM WBY MAG UPB	20 COUNT	BRASS7MM
270 WBY MAG UPB	20 COUNT	BRASS270
300 WBY MAG UPB	20 COUNT	BRASS300
30-378 WBY MAG UPB	20 COUNT	BRASS303
338-378 WBY MAG UPB	20 COUNT	BRASS333
340 WBY MAG UPB	20 COUNT	BRASS340
375 WBY MAG UPB	20 COUNT	BRASS375
378 WBY MAG UPB	20 COUNT	BRASS378
416 WBY MAG UPB	20 COUNT	BRASS416
460 WBY MAG UPB	20 COUNT	BRASS460
257 WBY MAG UPB	50 COUNT	BRASS257CT50
300 WBY MAG UPB	50 COUNT	BRASS300CT50
6.5-300 WBY MAG UPB	50 COUNT	BRASS653CT50





240 WEATHERBY

240 WBY 80 GR BARNES TTSX SELECT PLUS B24080TTSX

257 WEATHERBY

257 WBY 100 GR BARNES TTSX SELECT PLUS B257100TTSX 257 WBY 100 GR HORNADY SPIRE P SELECT PLUS H257100SP

6.5-300 WEATHERBY

6.5-300 WBY 127 GR BARNES LRX SELECT PLUS	B653127LRX
6.5-300 WBY 130 GR SWIFT SCIRO SELECT PLUS	F653130SC0
6.5-300 WBY 140 GR SWIFT A-FRA SELECT PLUS	F653140AF
6.5-300 WBY 140GR VLD HUN 20PK SELECT PLUS	R653140VLD

6.5 WEATHERBY RPM

140 GR HORNADY INTERLOCK SELECT	H65RPM140IL
140 GR NOSLER ACB SELECT PLUS	N65RPM140ACB
127 GR BARNES LRX SELECT PLUS	B65RPM127LRX

270 WEATHERBY

270 WBY 130 GR BARNES TTSX SELECT PLUS	B270130TTSX
270 WBY 130 GR HORNADY SPIRE P SELECT PLUS	H270130SP
270 WBY 140 GR NOSLER BALLISTIC SELECT PLUS	N270140BST

7MM WEATHERBY

7MM WBY 140 GR BARNES TTSX SELECT PLUS B7MM140TTSX
7MM WBY 150 GR NOSLER BST SELECT PLUS N7MM150BST







300 WEATHERBY

165 GR BARNES TTSX	B300165TTSX
180 GR NORMA SPITZER	G300180SR
165 GR HORNADY SPIRE POINT	H300165SP
180 GR HORNADY SPIRE POINT	H300180SP



30-378 WEATHERBY

165 GR BARNES TTSX	B303165TTSX
180 GR BARNES TTSX	B303180TTSX

416 WEATHERBY

350 GR BARNES TTSX	B416350TTSX
ood an Driningo 11070	D 110000110/1

340 WEATHERBY

225 GR HORNADY SPIRE POINT	H340225SP
250 GR HORNADY SPIRE POINT	H340250SP

460 WEATHERBY

450 GR BARNES TSX	B460450TSX
500 GR HORNADY ROUND	H460500RN









WELCOME TO ZEROTECH INTERNATIONAL

Since 1965, Tasco Sales (AUST) Pty Ltd (TSA) has been a major Australian supplier of optical systems across many industries. For over 50 years, TSA has proudly presented leading optical brands to the commercial and consumer market; however, the range of accessible, high-quality riflescopes was always a challenge to provide.

In 2018, TSA founded ZeroTech Optics. Focusing solely on providing high-quality, accessible, and precise riflescopes that meet the stringent Australian quality assurance requirements, ZeroTech riflescopes were quickly adopted into the Australian shooting market. The year 2020 saw ZeroTech go International, establishing a base in the US and distributing to our partners in the Americas, Europe, the United Kingdom, Africa and South Pacific nations.

Designed, engineered and quality assured by our team in Australia, ZeroTech scopes deliver repeatable performance using precision turret systems and ZeroTech proprietary reticles that apply to a range of applications and environments. Recently we've expanded our optical range to offer precision spotting scopes, binoculars, and reflex sights, all built with the same purpose in mind.

Backed by our 'Triple A' warranty, we're confident that ZeroTech will last a lifetime.

ZeroTech. Be Confident.

ZERO TECH



ZERO TECH

RIFLESCOPES

VENGEANCE

VENGEANCE optics are designed and engineered to provide best-in-class features that are attainable for every shooter.

Available in 8 models; 8 reticles.

► Zeroplex

► Side focus (except VG1624-IR)

► PHR

► 1", 30mm & 34mm tube sizes

► PHR-II and PHR-II (Illuminated)

► Fast Focus dioptre (except VG1624-IR)

► R3 and R3 (Illuminated)


► RAR SFP (Illluminated)

► RMG (FFP)

1-6x24 SFP RAR MOA ILLUMINATED	VG1624-IR
3-12x40 ZEROPLEX 1"	VG3124
4.5-18x40 PHR 1"	VG45184P
4-20x50 PHR-II	VG4205P
4-20x50 PHR-II ILLUMINATED	VG4205P-IR
4-20x50 R3	VG4205R3
4-20x50 R3 ILLUMINATED	VG4205R3-IR
5-25x56 RMG FFP	VG5256F











<u>Zerotech</u>


RIFLESCOPES


VENGEANCE FFP - 4-16×44

The ZeroTech Vengeance 4-16x44 FFP Riflescope offers a sleeker, more streamlined option for those seeking precision at distance and minimal size. Ideal for those who prefer a lighter scope with lower starting magnification, this model still packs the same powerful features as its larger counterpart, making it the top choice for value-driven, long range shooting. Available in 2 models; 2 reticles.

4-16x44 FFP RMG MRAD	VG4164F
4-16x44 FFP RMG MOA	VG4164FM

- ► First Focal Plane (FFP) Reticle
- ► ZeroStop Turrets
- ► Enhanced Internal Adjustment
- ► Compact and Lightweight





VENGEANCE FFP - 6-24×50

ZeroTech Vengeance 6-24×50 FFP Riflescope, designed to meet the needs of both novice and seasoned shooters alike. This riflescope offers advanced features, including the first focal plane RMG reticle and elevation zero stop for dependable adjustments and reliable return to zero. Perfect for those who want long-range capability without the hefty price tag.

6-24x50 FFP RMG MRAD	VG6245F
6-24x50 FFP RMG MOA	VG6245FM

- ► First Focal Plane (FFP) Reticle
- ► ZeroStop Turrets







ZERO TECH

RIFLESCOPES

THRIVE


By delivering exceptional image quality for the sole purpose of enhancing every hunting scenario, the THRIVE series redefines the entry-level optics benchmark whilst providing outstanding value for money.

These include a variety of riflescopes as well as our red dot models, all at the highest quality for the best price. Available in 8 models; 4 reticles.

- ► Zeroplex
- ► Mildot
- ► PHR3
- ► PHRII

- ► Side focus (excludes 3-9x40)
- ► 30mm tube
- ► Capped turrets (0.25MOA)
- ► Weathershield lens coating
- Soft neoprene cover

	► Soft neopre
3-9x40 ZEROPLEX	TH3940
3-9x40 PHR3	TH3940-P3
3-12x44 ZEROPLEX	TH31244
3-12x44 MILDOT	TH31244MD
3-12x44 PHR3	TH31244-P3
4-16x50 ZEROPLEX	TH41650
4-16x50 MILDOT	TH41650MD
4-16x50 PHRII	TH41650P









ZERO TECH

RIFLESCOPES

THRIVE HD

THRIVE HD takes the top quality experience of the legendary THRIVE range to the next level. High Definition glass, crystal-clear images and uncompromised build quality offer a shooting experience like no other.


The THRIVE HD range is comprised exclusively of glass reticles, allowing hunters and shooters to extract the maximum level of precision from their rifle in all conditions.

Available in 8 models; 4 reticles.

- ► 30mm tube
- ► HD alloy flip-up covers
- ► Half Magnification Index (HMI)
- ► Capped turrets (0.25MOA)
- ▶ 92% light transmission
- ► Glass etched reticles
- ► Weathershield lens coating
- ➤ Digital illumination with five brightness settings*
- ► Auto time out function & previous setting memory.














RIFLESCOPES

THRIVE HD

3-18x56 R3	TH3186R3
3-18x56 PHR II, ILLUMINATED	TH3186P-IR*
4-16x44 LRH, ILLUMINATED FFP	TH4164FL-IR*
6-24x50 LRH, ILLUMINATED FFP	TH6245FL-IR*

*Digital illumination with five brightness settings





ZERO TECH



ZEROTECH TRIPLE A LIFETIME WARRANTY

ZEROTECH PRODUCTS ARE COVERED FOR LIFE, ANY OWNER, ANY PROBLEM, ALWAYS COVERED.

- Unconditional lifetime replacement or repair
- Regardless of the fault or the reason, ZeroTech products will be covered for the life of the product
- No paperwork or proof of purchase is required
- The Warranty is fully transferable, if you sell the scope the warranty automatically goes with it.



ZERO TECH

RIFLESCOPES

TRACE - SECOND FOCAL PLANE

Designed for precision shooters, TRACE riflescopes offer a full house of features to help you make every shot count. Whether on the range or in the field, our Precision Turret System (PTS) and glass etched R3 second focal place (SFP) reticle inspire confidence in high pressure situations.

The inclusion of the Half Magnification Index (HMI) unlocks greater functionality from the reticle when using the scope on lower magnification settings.

Available in 2 models; 1 reticle.

- ► R3 MOA SFP reticle
- ► 30mm tube
- ► HD alloy flip-up covers
- ► Half Magnification Index (HMI)
- ► Precision Turret System (PTS)
- ► Zero Stop
- ▶ 92% light transmission
- ► Glass etched reticle
- ► Weathershield lens coating.

3-18x50 R3 MOA	TR3185R3
4.5-27x50 R3 MOA	TR4275R3







ZERO TECH

RIFLESCOPES

TRACE - FIRST FOCAL PLANE

A combination of First Focal Plane reticles, our Precision Turret System (PTS), crystal clear optics and ergonomic controls make TRACE an ideal choice for the modern precision shooter.


Pinpoint speed shooting, guaranteed on every target every time. With the RMG FFP reticle developed exclusively by ZeroTech, from years of optics experience, the TRACE is the ideal riflescope for precision shooters and backcountry hunters.

Available in 3 models and 3 reticles.

- ► 30mm tube
- ► HD alloy flip-up covers
- ► Precision Turret System (PTS)
- ► Capped windage turret*
- ► Zero Stop
- ▶ 92% light transmission
- ► Glass etched reticle
- ► Weathershield lens coating.

4.5-27x50 RMG 30mm Tube	TR4275F
4.5-27x50 RMG MOA 30mm Tube	TR4275FM
3-18x50 LRH, ILLUMINATED 30mm Tube	TR3185FL-IR*

^{*}Digital illumination with five brightness settings







ZERO TECH

RIFLESCOPES - JAPANESE MADE


TRACE ADVANCED - 30MM TUBE

JAPANESE-MADE TRACE ADVANCED

TRACE ADVANCED – First Focal Plane (FFP) reticle the to meet the demands of the long range precision and PRS shooters alike. The TRACE ADVANCED gives shooters the ability to put rounds on target with speed, and most importantly, precision.

- ► Illuminated RMG FFP reticle / TREMOR3™ FFP reticle
- ► Made in Japan
- ► Removable magnification throw lever
- ▶ 30mm one piece tube
- ► Tenebraex[™] Tactical Tough[™] flip-up covers
- ► Precision Turret System (PTS)
- ► Zero Stop
- ► Capped Precision Windage Turret
- ► Glass etched reticles
- ► Weathershield lens coating
- ► Argon purged

4-24x50 - FFP RMG IR	TR4245F-IR
4-24x50 - FFP TREMOR3™	TR4245FT3






TRACE ADVANCED - 34MM TUBE

JAPANESE-MADE TRACE ADVANCED

Discover elite long-range accuracy and precision with the ZeroTech Trace Advanced 5-30x56ED, a top-tier riflescope crafted for precision shooters who demand the best. Featuring the RMG 2 illuminated First Focal Plane (FFP) reticle with extended windage and elevation stadia combined with Japanese ED glass to offer outstanding performance at high or low magnification, even in the most challenging conditions. Precision engineered and machined in Japan, the Trace Advanced sets a new standard for performance and reliability.

- ► Illuminated RMG 2 FFP Reticle
- ► Digital Illumination Control
- ► Enhanced Optical System
- ► Tactical Tough Flip-Up Covers
- ► Precision Turret System (PTS)
- ► Innovative Capped Windage Turret
- ► Weathershield Lens Coating
- ► Made in Japan
- ► Unparalleled Warranty







MADE IN JAPAN








RED DOTS & PRISMS

THRIVE HD MICRO PRISM 1X20

MICRO Prism Scope with Variable Mounting Heights - Precision, Versatility, and Durability.

Introducing the 1x MICRO Prism Scope, a versatile and robust optic designed for quick and clear sight acquisition across various shooting applications. Featuring four variable mounting height options, this micro prism is CNC cut from a solid billet of 6061 T6 aluminium. Its expansive eye relief and laser etched, illuminated reticle enhance both versatility and precision, making it an ideal choice for hunting, recreational, and competitive shooting.

With the ability to operate with both eyes open, the THRIVE HD Micro Prism allows the user to maintain high situational awareness, crucial for dynamic shooting scenarios.



- ► Robust Construction: CNC cut 6061 T6 aluminium body
- ► Etched Reticle
- ► Expansive Eye Relief
- ► Enhanced Optical Clarity

1x20mm Micro Prism - Prism Dat Reticle THDMP120





THDMP120



PRISM DOT RETICLE

ZEROTECH RED DOT SIGHTS CAN STAND UP TO ANY CHALLENGE

ZeroTech has packed the latest LED technology into a compact feature rich red dot to take your performance to the next level.

Don't allow inferior equipment to limit your ability, our elegantly rugged line of red dots are the perfect tools to get you on target, fast.

THRIVE RED DOT

The THRIVE RED DOT combines design simplicity and speed into one compact, rugged unit that will prove to be a favourite for speed shooting. With 11 brightness settings and a super crisp 3 MOA dot, the THRIVE RED DOT will not disappoint.

- ► Large field of view
- ► 3 MOA dot
- ► 11 Brightness settings
- ► Weaver / picatinny compatible base
- ➤ Tool-free turret adjustment (integrated turret key)
- Interchangeable base (compatible with popular aftermarket base options)
- ► Anti Reflective (AR) lens coating
- ► Neoprene soft cover included.





THRD25

RED DOT





RED DOT 3 MOA

THRD25





ZERO TECH

RED DOTS & PRISMS

THRIVE HD REFLEX SIGHT 1X28MM

A popular addition to the ZeroTech red dot range is the ready on-demand THRIVE HD Reflex sight with advanced shake awake technology to ensure it's ready to go when you are! Built on a popular footprint, the THRIVE HD Reflex will mount to most firearms. Comes standard with a picatinny rail interface.

Now available in 3 reticles; Red dot, Green dot and Multi reticle. Available in High Rise and Low Rise.

► 1x28mm

RED DOT

GREEN DOT

MULTI RETICLE

- ▶ 3 Reticles, in low and high rise
- ► Up to 50,000 hours battery life
- ► Direct mount to pistols for enhanced compatibility
- ► Moulded rubber cover
- ► Auto shutoff and Auto ON

RED DOT 3 MOA - LOW RISE

RED DOT 3 MOA - HIGH RISE

GREEN DOT 3 MOA - LOW RISE

GREEN DOT 3 MOA - HIGH RISE

MULTI RETICLE - LOW RISE

MULTI RETICLE - HIGH RISE

178

Multi Reticle System: Choose from three reticle patterns, including a single 3 MOA dot, a 40 MOA circle, and a 3MOA dot combined with a 40 MOA ring for enhanced target acquisition.

- ► Adjustable brightness
- ► Picatinny compatible base (Low)
- ► Weaver & picatinny compatible base (High)
- ► Guaranteed waterproof and shockproof.

THDRS28L

THDRS28H

THDRS28GL

THDRS28GH

THDRS28ML THDRS28MH







GREEN DOT MOA



MULTI RETICLE













179

ZEROTECH

ZERO TECH

MICRO REFLEX SIGHTS

THRIVE HD 1X21MM

The THRIVE HD Micro Reflex sight with advanced shake-awake technology is ready to go when you are! Built on the popular Shied RMSc footprint, the THRIVE HD Micro Reflex will mount to most compact pistols. It can also be adapted to other firearm platforms and used as an ultra-light weight backup sight. Now available in 3 reticles; Red dot, Green dot and Multi reticle. High and low picatinny mounts available separately.


- ▶ Up to 150,000 hours battery life
- ► Shield RMSc footprint
- ► Weighs only 19 grams (0.67oz)
- ► Auto shutoff and auto on
- ► Adjustable brightness
- ► Guaranteed Waterproof and Shockproof
- ► AR lens coating specially developed for the least possible image distortion

RED DOT MICRO REFLEX SIGHT 3 MOA	THDM21
GREEN DOT MICRO REFLEX SIGHT 3 MOA	THDM21G
MULTI RETICLE MICRO REFLEX SIGHT 3 MOA	THDMM21
MULTI RETICLE MICRO REFLEX SIGHT 3 MOA W/ High Picatinny adapter	THDMM21-ZTRMSB02
MULTI RETICLE MICRO REFLEX SIGHT 3 MOA W/LOW PICATINNY ADAPTER	THDMM21-ZTRMSB01



RED DOT MOA





GREEN DOT MOA



rosshair + Dot



Circle + Crosshair









ZERO TECH

BINOCULARS

ZeroTech has drawn on over fifty years of experience in the optical industry to create our range of binoculars. Designed by outdoors enthusiasts, ready for your next adventure.

THRIVE

THRIVE Optics are built with a primary purpose; to deliver best-in-class performance, reliability and value for outdoor enthusiasts around the world.

THRIVE series binoculars can weather all conditions and be the ideal companion for your adventure. Backed by our Triple A lifetime warranty, our products are engineered to provide our customers with the best possible experience.

2 magnifications; 4 models.

- ► ED Glass Excellent clarity, field of view (FOV) & light transmission
- ► Ergonomic rubber armour
- **▶** Waterproof


8x32

10x32

8x42

10x42

- ► Fully multi coated (FMC) lenses
- ► Protective carry bag and shoulder strap included
- ► ZeroTech neck strap
- ► Unconditional lifetime warranty.













<u>ZERO TECH</u>

BINOCULARS

THRIVE HD

THRIVE HD Optics are continuing to set new industry standards in performance, made to compete against the top performing binoculars at a fraction of the cost. We took the THRIVE series core elements and introduced industry leading features such as the latest generation ED (Extra-low Dispersion) glass with generous depth of field and superior low light performance thanks to the dielectrically coated BAK-4 Prisms.

THD825

THD1025

THD842

THD1042



- ► ED Glass Excellent clarity, field of view (FOV) & light transmission
- ► Ergonomic rubber armour
- ► Smooth, fast focus wheel
- ► Waterproof

8x25

10x25

8x42

10x42

- ► Fully multi coated (FMC) lenses
- ► Dielectrically coated BAK-4 prisms
- ► Unconditional lifetime warranty
- ► Compact case with 8x25/10x25
- ► Carry Bag / Chest Harness with 8x42/10x42.





















<u>zerotech</u>

BINOCULARS

TRACE (DUAL ED ABBE-KOENIG PRISM)


The TRACE 15x56ED features a lightweight magnesium alloy chassis system, designed to withstand the most demanding applications.

Assembled with Dual ED lenses and Abbe-Koenig prisms, coupled with precision ground Lanthanum glass to deliver exceptional image quality and minimise chromatic aberration.

The TRACE is built for ultimate optical performance. Offering exceptional light transmission, clarity, contrast, depth and a generous field of view.

- ► Abbe-Koenig prisms
- ► Dual ED Lenses Excellent clarity, field of view (FOV) & light transmission
- ► Ergonomic rubber armour
- ► Smooth, fast focus wheel
- ► Magnesium alloy chassis

- ► Waterproof
- ► Fully multi coated (FMC) lenses
- ► Dielectrically coated BAK-4 prisms
- ► Unconditional lifetime warranty
- ► Large premium flip-top carry bag/ harness and shoulder strap included.











BINOCULAR BAG & HARNESS

Lightweight and compact protective flip-top carry bag to fit all popular ZeroTech binocular models up to a 42mm objective lens.

- ► Binocular attachment points
- ► Rugged and durable construction
- ▶ 1 zip pocket, 2 side pockets, 1 back pocket
- ► Magnetic closing plus fail-safe clasp
- ► Includes 4-point connection body harness & shoulder strap.

COMPACT BINO HARNESS ZTA-CBH











THE CHOICE OF HUNTERS



ZERO TECH

SPOTTING SCOPES


TRACE ADVANCED

Finally, a first focal plane (FFP) spotting scope with a reticle optimised for long range and ELR shooters. Our TRACE ADVANCED 20-60x80ED features a compact, in-line magnification and focus system, FFP OSR reticle and ED glass. M-LOK® interfaces accommodate fitment of aiming devices, carry points and a multitude of additional accessories.

- ► 20-60x magnification power
- ► Optimised Spotting Reticle (OSR) FFP MRAD reticle
- In-line magnification, focus and dioptre adjustment assembly
- ► ED glass with Fully Broadband Multi Coated (FBMC) lenses.
- ► MAGPUL® MLOK® compatible slots located at 12, 3 & 9 o'clock positions
- ► MAGPUL® MOE® 5 slot rail mount (optional) located at 6 o'clock for tripod mounting.



20-60x80 ED FFP OSR Reticle TR206080F



The OSR reticle is designed to maximise field of view at high magnification, whilst allowing the spotter to quickly and efficiently call corrections to the shooter. 1/10th MRAD measuring bars allow for precise range estimation for targets of known size.



THRIVE

Exceptional Clarity & Value for Long-Range Observation

Experience unparalleled optical performance with the THRIVE Spotting Scope TH206085, designed for both rifle range target checking and long-distance observation. Competing with high-end brands at a fraction of the price, this spotting scope delivers exceptional value and clarity, ensuring you won't be disappointed.

- ► 20-60x Magnification
- ▶ 85mm Objective Lens
- ► Combined Prism Type
- ► Fully Broadband Multi-Coated (FBMC) Lenses
- ► Tube Focus System
- ► Integrated ARCA Compatible Tripod Adapter
- Conventional 1/4x20 Thread compatible with standard tripods
- ► IPX5 Waterproof Rating
- ► Soft Carry Case/Bag Included.


20-60x85 ED FFP OSR Reticle TH206085



ZEROTECH RETICLES




At ZeroTech, we recognise modern advancements in firearms and ammunition technology have unlocked previously unattainable levels of precision. Our focus is to develop exceptional aiming systems. ZeroTech reticles have been carefully designed to enable shooters to extract the highest potential from their shooting systems. Carefully tailoring a blend of precision and usability, ZeroTech reticles are perfect for all shooting applications.



RMG


Subtended in 0.5 mil increments with integrated 0.1 mil measuring bars, the RMG allows shooters to apply elevation and windage holds without having to dial the turrets.



RMG MOA


Subtended in 2 MOA increments with integrated ½ MOA measuring bars, the RMG MOA allows shooters to apply elevation and windage holds without having to dial the

A floating center dot ensures a refined point of aim for zeroing and shooting groups, while the heavy bars with chevron ends at 3, 6, 9 and 12 o'clock help draw the shooter's eve to the center of the reticle at lower magnifications.




RMG 2 ILLUMINATED

Subtended in 0.5 mil increments with integrated 0.1 mil measuring bars, the RMG 2 allows shooters to apply elevation and windage holds without having to dial the turrets. A floating centre dot ensures a refined point of aim for zeroing and shooting groups, while the heavy bars with chevron ends at 3, 6, 9 and 12 o'clock help draw the shooter's eye to the centre of the reticle at lower magnifications.




TREMOR 3™

The TREMOR3™ reticle is designed to maximize the speed and accuracy of marksmen. Its unique use of patented features gives users the capability to quickly estimate the range to targets while also giving the user wind speed and drop correction information for fast and accurate Second Shot Corrections.




LR HUNTER

Precision - Simplicity - Speed. The LR Hunter has been developed for shooters and hunters who are looking for a 'do it all' reticle. The combination of First Focal Plane (FFP) and adjustable illumination enables the LR Hunter to mimic traditional reticles on low magnification.




OSR

The Optimised Spotting Reticle (OSR) is a First Focal Plane (FFP), milradian based offset reticle. The OSR enables the largest possible field of view due to its offset design whilst retaining all the benefits of a FFP reticle. When precision and speed matter, the OSR is the perfect companion.




R3

The R3 reticle allows the shooter to enjoy all aspects of a second focal plane (SFP) scope without losing the ability to 'hold over' with extreme precision for long range shots. The R3 features a floating center dot and subtensions of 1 MOA marked by dots with a hash mark every 4 MOA. Heavy bars at 3, 6, 9 and 12 o'clock make target acquisition a breeze.



RAR


The RAR Illuminated reticle allows for rapid target acquisition and speed shooting, yet enables precision shots when required. The heavy outer bars taper to sharp and precise points, leading the shooter's eve naturally to the center of the reticle.



PHR 3


Bringing the old world crosshair reticle into the new school of precision hunting, the PHR 3 is the solution! Designed with precision shooting in mind, the PHR 3 delivers many of the benefits of the PHR II reticle, in a

simplified format.




The PHR II shares all the features of the PHR reticle with

the addition of a floating center dot for an ultra-refined point of aim as well as a finer 6 o'clock post, enabling even more precise elevation 'hold overs'.




Indexed in MOA, the PHR mimics a more traditional hunting reticle with the addition of some modern advancements. A floating center cross allows for a refined point of aim while losing none of the 'pointability' of a traditional hunting reticle.



MILDOT

A traditional reticle, calibrated in mils, giving shooters the added ability to take long range shots with a high degree of precision.



ZEROPLEX

A favourite reticle for shooters of all disciplines where speed and simplicity is key.

ZERO TECH

ACCESSORIES

ZEROTECH OPTICS PATCHES

70mm diameter, hook & loop fastening.



YELLOW EAGLE & KANGAROO	ZTCPATCH1
BLACK ZT LOGO	ZTCPATCH2
YELLOW w/ EAGLE	ZTCPATCH3
BLUE w/ KANGAROO	ZTCPATCH4

RIFLESCOPE MULTI-TOOL

Riflescope Multi Tool for flip-up covers and turrets.



RIFLESCOPE	ZTA-MULTI
MULTI TOOL	

NEOPRENE SCOPE COVERS

For sizing see portal for full list of models suitability. sales.tasco.net.au/categories/ZT



SMALL	ZTA-COVERSML
LARGE	ZTA-COVERLG

STUBBY COOLERS



BINO	ZTCOOLER-ORN
RPRS	ZTCOOLERPRS
TAC	ZTCOOLERTAC
HNTR	ZTCOOLERHNTR

MAGNIFICATION THROW LEVER

Fits TRACE series riflescopes allowing rapid and tactile magnification adjustment.





MAGNIFICATION ZTA-THROW THROW LEVER

ZEROTECH LENS CLOTH

Lens cloth designed for all ZeroTech optics.



ZEROTECH LENS CLOTH ZTA-CLOTH

ZT OUTDOOR STICKER PACK

Outdoor vinyl transfers

- ► Includes: 1 x ZT & 1 x ZEROTECH
- ► 3-5 year UV rated
- ► Car window safe
- ➤ 30cm wide.



CUITO COD CTICKED	774 0000
OUTDOOR STICKER	ZTA-ODSP
PACK	

SUNSHADES

Sunshades thread directly into the objective



THRIVE HD & TRACE 50MM MODELS	ZTA-SUNSHADE50
VENGEANCE 5-25X56	ZTA-SSVEN5256
VENGEANCE 4-20X50	ZTA-SSVEN4205

THRD25 RISER ASSEMBLY

Compatible with THRD25 Red Dot.



THRD25 RISER	ZTGENRISER
ASSEMBLY	

PULSAR

THERMAL IMAGING MONOCULARS

TELOS

- ► Advanced Pulsar Image boost technology
- ► Objective ring zoom control
- ► Built for toughest conditions
- ► Ergonomic, nonslip rubber-coated housing
- Removeable battery pack with USB-C & wireless fast charge
- ► Fully upgradeable device
- ► Ergonomic and functional carrying case
- ► IPX7 submersion waterproof rated
- Stream Vision 2 Wi-Fi integration with iOS & Android devices
- ➤ 2.4GHz/5GHz dual band Wi-Fi for excellent video quality and reliable performance







AXION

- ► High-quality reinforced magnesium alloy housing
- ► Extended battery life
- ➤ 2.4GHz/5GHz dual band Wi-Fi for excellent video quality and reliable performance
- ► 1000m laser rangefinder (LRF Models)
- ► Pocket-sized dimensions and light weight
- ► Built-in photo and video recorder
- ► High-contrast AMOLED Display
- ▶ 8 colour palettes
- ► IPX7 submersion waterproof rated
- Highly Sensitive, European Made Thermal Detector

SKU	MODEL	RANGE	FOV (W)	MAG.	SENSOR
77506	XQ30 Pro	850m	13.3°	2 - 8	384 x 288 @ 17um, <25mK NETD
77501	XQ35 Pro	1300m	10.7°	2.5 - 10	384 x 288 @ 17um, <25mK NETD
77502	XQ35 Pro LRF	1300m	10.7°	2.5 - 10	384 x 288 @ 17um, <25mK NETD
77476	XG35	1750m	12.5°	2.5 - 20	640 x 480 @ 12um, <40mK NETD
77477	XG35 LRF	1750m	12.5°	2.5 - 20	640 x 480 @ 12um, <40mK NETD







THERMAL IMAGING SCOPES

THERMION 2 LRF - THERMAL EXCELLENCE

- ► Fast Aperture f1.0 Germanium Optics
- ► Highly Sensitive, European Made Thermal Detector
- ► Mounts on Standard 30mm Scope Rings
- ► Rugged, Reliable All-Metal Housing
- ► IPX7 submersion waterproof rated
- ▶ 800m Laser Range Finder
- ► LRF Ballistic Drop Compensation w/ Stream Vision Ballistics App



SKU	MODEL	RANGE	FOV (W)	MAG.	SENSOR
76555	XQ50 Pro	1800m	7.5° x 5.6°	3 - 12	384 x 288 @ 17um, <25mK NETD
76554	XG50	2300m	8.8° x 6.6°	3 - 24	640 x 480 @ 12um, <40mK NETD
76551	XP50 Pro	1800m	12.4° x 9.3°	2 - 16	640 x 480 @ 17um, <25mK NETD
76557	XL50	2300m	14° x 10.5°	1.75 - 14	1024 x 768 @ 12um, <35mK NETD

THERMION 2 - TRUE SUPERIORITY

- ► Fast Aperture f1.0 Germanium Optics
- ► Variable Digital Zoom
- ► Highly Sensitive, European Made Thermal Detector
- ► Mounts on Standard 30mm Scope Rings
- ► Rugged, Reliable All-Metal Housing
- ► IPX7 submersion waterproof rated
- ► Ballistic Drop Compensation w/ Stream Vision Ballistics App



SKU	MODEL	RANGE	FOV (W)	MAG.	SENSOR
76541	XQ35 Pro	1350m	10.7°	2.5 - 10	384 x 288 @ 17um, <25mK NETD
76548	XQ50 Pro	1800m	7.5°	3.5 - 14	384 x 288 @ 17um, <25mK NETD
76549	XG50	2300m	8.8°	3 - 24	640 x 480 @ 12um, <40mK NETD
76547	XP50 Pro	1800m	12.4°	2 - 16	640 x 480 @ 17um, <25mK NETD

THERMION DUO - 24/7 MULTISPECTRUM HUNTING

- ► 4K Full-colour sensor for daytime hunting
- ► Highly Sensitive, European Made Thermal Detector
- ► Combined Multi-Spectral viewing modes with picture in picture of both
- ▶ One Shot Freeze Zeroing on both thermal & digital channels
- ► IPX7 submersion waterproof rated
- ► Variable Digital Zoom
- ► Ballistic Drop Compensation w/ Stream Vision Ballistics App
- ► Rugged, Reliable All-Metal Housing







THERMAL IMAGING SCOPES

TALION - PURE THERMAL ACTION

- ► Highly Sensitive, European Made Thermal Detector
- ► High calibre recoil resistance up to: 12 gauge, 9.3x64, .375H&H
- ▶ Up to 9 Hours of Battery on a Single Charge
- ► Fast focus lens with tactile 100m focus ridge
- ► Versatile mounting options
- ► Controls at rear of scope for easy access



SKU	MODEL	RANGE	FOV (W)	MAG.	SENSOR
76566	XQ35 Pro	1350m	10.7°	2.5 - 10	384 x 288 @ 17um, <25mK NETD
76563	XG35	1750m	17.8°	2 - 16	640 x 480 @ 12um, <40mK NETD

THERMAL IMAGING BINOCULARS

MERGER LRF & DUO

- ► Highly Sensitive, European Made Thermal Detector
- ► 1000m Laser Range Finder (Excluding NXP50)
- ▶ Up to 10 Hours of Battery on a Single Charge
- ► Lightweight and Compact Design
- ► Up to 2300m Detection Range



SKU	MODEL	RANGE	FOV (W)	MAG.	SENSOR
77484	XP35	1350m	17.8°	2 - 16	640 x 480 @ 17um, <25mK NETD
77455	NXP50	1800m	12.4°	3 - 24	640 x 480 @ 17um, <25mK NETD + 1920 x 1200 NV CMOS (NXP50)
77481	XL50	2300m	14°	2.5 - 20	1024 x 768 @ 12um, <40mK NETD





PULSAR

THERMAL CLIP-ONS

KRYPTON 2

- ► Highly Sensitive, European Made Thermal Detector
- ► Up to 11 Hours of Battery on a Single Charge
- ► Up to 2300m Detection Range
- ► IPX7 submersion waterproof rated
- ► High calibre recoil resistance: 12 gauge, 9.3x64, .375H&H
- ► Includes Bluetooth Remote for easy access to controls

SKU	MODEL	RANGE	FOV (W)	MAG.	SENSOR
77374	XQ35	1350m	10.7°	2.5 - 10	384 x 288 @ 17um, <25mK NETD
77379	XG50	2300m	17.8°	2 - 16	640 x 480 @ 12um, <40mK NETD



DIGEX

- ► 24/7 use
- ► Full-colour imaging from sunset till dusk in the Colour Twilight mode
- ► Authentic daytime colours
- ► Up to 10 hours of battery life on a single charge
- ► High calibre recoil up to: .375H&H, 12 gauge and 9.3x64
- ► 5 shooting profiles / 50 zeroing distances
- ► Wi-Fi integration with iOS and Android devices
- ► IPX7 submersion waterproof rated



SKU	MODEL	IR	RANGE	FOV (W)	MAG.	SENSOR
76635L	C50 w/X850S	850nm	550m	6.7°	3.5 - 14	1000 v 1000 CMOC
766351	C50 w/X940S	940nm	500m	0.1	3.3 - 14	1928 x 1088 CMOS

NIGHT VISION CLIP-ONS

FORWARD

- Easily transform your daylight optic into a night vision device
- ▶ Up to 9 hours of battery life on a single charge
- ► High calibre recoil up to: .375H&H, 12 gauge and 9.3x64.
- ► Wi-Fi integration with iOS and Android devices
- ► Fully waterproof IPX7
- ► Integrated video and audio recording
- ► Compatible with Pulsar BT Remote Control



SKU	MODEL	IR	RANGE	FOV (W)	SENSOR
78189	F455S	040	Γ00	C 00	1000 700 01400
78199	FN455S	940nm	500m	6.3°	1280 x 720 CMOS

ACUTER

JUMBO ASTRONOMY BINOCULARS

15 X 70

- ► Suitable for Astronomy Use
- Fully Multi-Coated
- BaK-4 Prism
- Weatherproof



20 X 80

- Suitable For Astronomy Use
- ► Fully Multi-Coated
- ► ED Glass Optical Lens
- ► Porro BaK-4 Prism
- ► Water Resistant & Weatherproof

20x80 Jumbo Astronomy Binoculars	SP2080



25 X 100

- ► Suitable For Astronomy Use
- ► Fully Multi-Coated
- **ED Glass Optical Lens**
- Porro BaK-4 Prism
- Water Resistant & Weatherproof

25x100 Jumbo Astronomy Binoculars	OP25100
--------------------------------------	---------



SPOTTING SCOPES

NATURECLOSE ANGLED SPOTTING SCOPES

- ► Ideal for General Nature & Wildlife Observation
- ► Fully Multi-Coated Optics
- ► Waterproof & Nitrogen Purged Fogproof
- ► Retractable Sunshade
- ► "Stay-on" Carry Case
- ► Attaches Directly to Camera T-Rings
- ► Acuter No Fault Lifetime Limited Warranty

16-48x65 Spotting Scope, Angled	ST1648X65A
20-60x80 Spotting Scope, Angled	ST2060X80A
22-67x100 Spotting Scope, Angled	ST2267X100A

GRANDVISTA SPOTTING SCOPES

- ▶ Dual-Speed Focuser (15:1 Ratio) with Precision Fine-Focusing
- ► Accepts Standard 1.25 Push-fit Telescope Eyepieces
- ▶ 20mm Eye Relief, suitable for spectacle wearers
- ► Extendable Sunshade/ Dewshield with Handy Sighting Line
- Robust Shock-Resistant Rubber Armoured Body
- Spotting Scope Fully Rotatable in Collar
- Supplied with DSLR camera adaptor ring
- Stay-On Case

16-48x65 Grandvista Spotting Scope	DS65A
20-60x80 Grandvista Spotting Scope	DS80A







ST2060X80A





DS80A

ACUTER

EDUCATIONAL TELESCOPES

NEWTONY 50MM EDUCATIONAL NEWTONIAN

- Great for learning
- Take photos of the stars
- See how it works inside
- Compact & portable

Maksy 60mm Educational Maksutov-Cassegrain

ACDM60







Build Your Own Telescope!!





Step-by-Step Instructions to make a Newtony Telescope

- Great Learning Opportunity.

ACDN50D

MAKSY 60MM EDUCATIONAL MAKSUTOV-CASSEGRAIN


- Great for learning
- High quality glass optics
- Take photos of the stars
- See how it works inside
- Compact & portable

Maksy 60mm Educational Maksutov-Cassegrain

ACDM60 ACDM60

MAKSY EDUCATIONAL TELESCOPE KIT W/ T2 TRIPOD

Includes the full height T2 tripod.



MAKSYGO 60MM EDUCATIONAL DOBSONIAN MAKSUTOV

Find Out How Maksutov Telescopes Work. Use Your Own Telescope To Observe And Learn. Photograph & Record Your Observations.

- Great for Learning
- High Quality Glass Optics
- Take Photos of the Stars
- See how it Works Inside
- Compact & Portable
- Maksutov Design

ACDOBMAK60 MaksyGo 60mm Educational Dobsonian Maksutov

Included Accessories:

- Universal Smartphone Adaptor
- Extra Eyepiece
- ► Adjustable Compact Tripod



SMART PHONE ADAPTOR Take Photos of the Stars!





SKY-WATCHER

Sky-Watcher®

TELESCOPES

60/700 AZ2 REFRACTOR TELESCOPE

- ► Perfect for Beginners
- ► Highly affordable
- Suitable for both astronomy & terrestrial use
- Lightweight and easy to use
- Aluminium tripod
- ► Sky-Watcher 5 Years manufacturer warranty

Learning or interested in Astronomy? This Sky-Watcher 60/700 Refractor Telescope is a highly affordable telescope which allows beginners to take their first steps into the world of Astronomy. Several accessories are provided, this telescope is suitable for both astronomical and terrestrial observations.



15X70 ASTRONOMY BINOCULARS



Designed not only for astronomical viewing but also for high-performance terrestrial observation, these binoculars are perfect for bird watching, whale watching, and marine observation.

With a powerful 15x magnification and a generous 70mm aperture, you'll be able to observe detailed and bright images, whether you are gazing at distant celestial objects or wildlife from afar.

15x70 Astronomy Binoculars SW1570

70/900 AZ-GO2 EXPLORER

- ► AZ-Go2 Mount
- ► 70mm Aperture
- ▶ 900mm Focal Length
- Smartphone Adapter
- ► Red Dot Finderscope
- ▶ 90° Diagonal
- ► 10 and 25mm Super Plossl Eyepieces
- ► 5 Year Sky-Watcher Limited Warranty

The AZ-Go2 Mount – WiFi-controllable with iOS and Android and compatible with SynScan hand controller, allowing it for smooth tracking and alignment. Use Wifi to control the telescope wirelessly with your mobile device; smartphone or tablet. WHY PUSH WHEN YOU CAN GO-TO!

70/900 AZ-GO2 EXPLORER SW709-AZGO2

70MM TRAVEL TELESCOPE

► Product Weight (KG): 2.5

► Telescope Type: Achromatic-Refractor

➤ Aperture Size: 70mm
➤ Focal Length: 400mm
➤ User Level: For Beginners

► Focal Ratio: f/5.7

Highest Practical Magnification: 165x

► Finderscope: 5×24► Eyepieces: 20mm & 10mm

► Diagonal: 25" 45° Erect Image Diagonal

► Mount Type: Alt-Azimuth Mount

Tripod: AluminiumTripod height: 1 metre

Warranty: 5 Year Warranty

70MM TRAVEL TELESCOPE

ASW704TRAVEL





TSAOUTDOORS























































