

STEP 1

MEASURE YOUR SCOPE



1

Use calipers across the **outside of the objective bell**, the big front end of the scope.

2

Don't go by the model name: a **56 mm** objective lens measures **64 mm** on the outside.

3

Your size is **64**. Order **MAR-64** (Modular) or **ARM52-64** (QR).

STEP 2 → FIND YOUR THERMAL BRAND ON THE FOLLOWING PAGES AND FOLLOW THE PICTURES LEFT TO RIGHT.

STEP 2 · FITTING GUIDE FOR

PULSAR

KRYPTON · PROTON · M35×1 THREAD

MODULAR SYSTEM

Clamp + connector



YOUR DAY SCOPE · OD 64 MM
ZT Thrive HD 3-18×56



CLAMP · FITS SCOPE
MAR-64



CONNECTOR · FITS
KRYPTON
MCR-M35P



YOUR THERMAL
Pulsar Krypton

- 1 Clamp **MAR-64** onto the scope objective.
- 2 Fit **MCR-M35P** to the Krypton.
- 3 Lock the connector into the clamp.

QR SYSTEM

Quick release



YOUR DAY SCOPE · OD 64 MM
ZT Thrive HD 3-18×56



QR ADAPTER · FITS SCOPE
ARM52-64



REDUCING RING · FITS
KRYPTON
ARRK2



YOUR THERMAL
Pulsar Krypton

- 1 Clamp **ARM52-64** onto the scope objective.
- 2 Fit **ARRK2** to the Krypton.
- 3 Join the two. **Tip:** the **ARRK2-64** kit includes both parts.

STEP 2 · FITTING GUIDE FOR

GUIDE / BURRIS

ALSO NITEHOG VIPER · M33.5×0.75 THREAD

MODULAR SYSTEM

Clamp + connector



YOUR DAY SCOPE · OD 64 MM
ZT Thrive HD 3-18×56



CLAMP · FITS SCOPE
MAR-64



CONNECTOR · FITS DEVICE
MCR-M33.5



YOUR THERMAL
Guide thermal

- 1 Clamp **MAR-64** onto the scope objective.
- 2 Screw **MCR-M33.5** onto the device.
- 3 Lock the connector into the clamp.

QR SYSTEM

Quick release



YOUR DAY SCOPE · OD 64 MM
ZT Thrive HD 3-18×56



QR ADAPTER · FITS SCOPE
ARM52-64



REDUCING RING · FITS
DEVICE
ATA435



YOUR THERMAL
Guide thermal

- 1 Clamp **ARM52-64** onto the scope objective.
- 2 Screw **ATA435** onto the device.
- 3 Join the two.

STEP 2 · FITTING GUIDE FOR

INFIRAY / NOCPIX / HIK THUNDER 2+

ALSO LEICA · CONOTECH · M52×0.75 THREAD

MODULAR SYSTEM

Clamp + connector



YOUR DAY SCOPE · OD 64 MM
ZT Thrive HD 3-18×56



CLAMP · FITS SCOPE
MAR-64



CONNECTOR · FITS DEVICE
MCR-M52



YOUR THERMAL
Nocpix Mate

- 1 Clamp **MAR-64** onto the scope objective.
- 2 Screw **MCR-M52** onto the device.
- 3 Lock the connector into the clamp.

QR SYSTEM

Quick release · no ring needed



YOUR DAY SCOPE · OD 64 MM
ZT Thrive HD 3-18×56



QR ADAPTER · FITS SCOPE
ARM-52-64



YOUR THERMAL
Nocpix Mate

- 1 Clamp **ARM-52-64** onto the scope objective.
- 2 Screw the device straight into the M52×0.75 thread. Done.

STEP 2 · FITTING GUIDE FOR

HIK MICRO SERIES 1

THUNDER · CHEETAH (SERIES 1)

MODULAR SYSTEM

Clamp + connector



YOUR DAY SCOPE · OD 64 MM
ZT Thrive HD 3-18x56



CLAMP · FITS SCOPE
MAR-64



CONNECTOR · FITS DEVICE
MCR-HIK-2



YOUR THERMAL
HIK Thunder series 1

- 1 Clamp **MAR-64** onto the scope objective.
- 2 Fit **MCR-HIK-2** to the device.
- 3 Lock the connector into the clamp.

QR SYSTEM

Quick release



YOUR DAY SCOPE · OD 64 MM
ZT Thrive HD 3-18x56



QR ADAPTER · FITS SCOPE
ARM-52-64



REDUCING RING · FITS
DEVICE
ARR1-2



YOUR THERMAL
HIK Thunder series 1

- 1 Clamp **ARM-52-64** onto the scope objective.
- 2 Fit **ARR1-2** to the device.
- 3 Join the two.